

DNTH: January
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 893.0481 mg Hour read: 22166.85

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	00	9:08	893.9562 mg	69081	22788.91	21.36	709	71.6	5199	Filled	150	
2	00	8:49	894.7152 mg	7591	22865.75	17.52	722	63.1	5241	Filled	169	
3	05	9:20	895.5587 mg	8434	22855.24	17.53	730	-	5288	Filled	165	
4	05	10:00	896.5207 mg	9620	22843.48	22.32	722	127	5342	Filled	181	
5	LEA	8:05	897.2557 mg	7350	22864.61	17.13	715	89	05383	Filled	176	
6	LEA	8:50	898.1209 mg	8652	22884.67	26.06	719	73	05431	Filled	169	
7	JS	9:40	898.9864 mg	8655	22904.59	19.92	704	21	5479	Filled	185	
8	TC	12:24	899.7919 mg	8055	22923.45	16.86	746	-	5524	Filled	158	
9	05	10:00	900.5355 mg	7419	22940.68	17.23	717	134	5566	Filled	186	
10	LEA	8:25	901.2148 mg	6813	22956.48	15.8	719	89	05604	Filled	170	
11	05	8:40	901.9570 mg	7422	22973.82	17.34	713	127	5646	Filled	170	
12	LEA	8:30	902.8050 mg	8480	22993.47	19.65	719	67	05693	Filled	150	
13	05	10:00	903.6487 mg	5437	23012.16	19.64	714	-	5740	Filled	160	
14	05	10:30	904.4864 mg	5877	23031.70	18.56	725	-	5785	Filled	168	
15	05	11:00	905.3314 mg	8782	23051.24	26.45	715	67	5834	Filled	160	
16	05	9:20	906.1788 mg	7084	23070.58	19.58	705	70	5848	Filled	170	
17	05	9:00	907.0262 mg	8450	23089.23	19.05	717	110	5916	Filled	170	
18	05	11:00	907.8736 mg	7228	23108.30	16.89	717	-	5958	Filled	142	Flushed Blowoff AT WASH
19	LEA	10:30	908.7210 mg	6327	23127.83	14.71	717	78	05992	Filled	158	
20	LEA	8:45	908.9076 mg	7443	23135.79	17.96	709	79	06035	Filled	188	
21	LEA	8:56	909.8604 mg	9528	23157.53	21.74	730	54	06087	Filled	150	
22	LEA	9:20	910.6093 mg	7489	23175.12	17.59	710	88	06130	Filled	176	
23	05	9:00	911.4567 mg	6561	23194.42	16.5	697	113	6119	Filled	150	
24	LEA	8:05	912.1615 mg	8621	23211.53	19.91	722	56	06217	Filled	150	
25	05	10:00	913.0629 mg	9024	23232.21	20.68	727	112	6247	Filled	157	
26	LEA	8:30	913.8854 mg	8215	23250.66	18.45	742	92	06311	Filled	157	
27	05	9:00	914.7114 mg	7360	23267.57	16.71	715	50	06352	Filled	197	
28	05	8:51	915.5019 mg	7905	23285.83	18.26	722	71.2	6396	Filled	151	
29	TC	10:21	916.2209 mg	8290	23305.21	19.38	709	-	6443	Filled	166	System is paying attention
30	05	9:40	917.0884 mg	8815	23325.34	20.11	714	143	6491	Filled	157	
31	LEA	8:55	917.8512 mg	7628	23343.15	17.83	713	82	06534	Filled	188	

Comments:

Well Log

Last months Flow read: 917,8512 mg

Hour read: 23343.15

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	DS	10:00	918,7418 mg	.8704 mg	23324.399	2.824	712	-	1534	Filled	179	
2	LEA	8:10	919,4518 mg	.7100 mg	23380.58	16.59	713	52°	06624	Filled	189	
3	LEA	8:40	920,3715 mg	.9197 mg	23401.94	21.36	718	63°	06675	Filled	163	
4	IS	11:30	921,1817 mg	.8107 mg	23421.04	19.1	707	60°	06721	Filled	170	
5	TC	11:12	922,0285 mg	1.8468 mg	23440.69	19.65	718	-	06769	Filled	165	
6	LEA	8:30	922,7023 mg	.6738 mg	23456.74	16.05	700	62°	06807	Filled	156	
7	LEA	8:10	923,3867 mg	.6844 mg	23473.12	16.38	696	56°	06846	Filled	195	
8	RS	9:30	924,3223 mg	.8354 mg	23494.92	21.8	715	62.7°	06877	Filled	150	
9	CC	8:14	925,1350 mg	.8127 mg	23513.83	18.91	716	65.8°	06914	Filled	167	
10	CC	8:20	926,0197 mg	.8847 mg	23534.34	20.51	719	71.4	06994	Filled	195	
11	DS	10:20	926,9205 mg	.9005 mg	23555.43	21.01	712	70°	70004	Filled	169	
12	EA	11:00	927,6475 mg	.7468 mg	23572.03	17.5	711	68°	70066	Filled	180	
13	LEA	8:10	928,3723 mg	.7050 mg	23589.58	16.65	706	61°	07126	Filled	158	
14	LEA	8:45	929,1036 mg	.7313 mg	23607.29	17.71	688	60°	07169	Filled	180	Flushed Bioraff/wash
15	LEA	8:25	929,9460 mg	.8424 mg	23626.31	19.02	738	60°	07215	Filled	180	
16	DS	11:00	930,4433 mg	.7173 mg	23643.57	17.08	700	-	7250	Filled	160	
17	LEA	9:10	931,3963 mg	.7330 mg	23660.11	16.72	731	60°	07296	Filled	162	
18	LEA	8:50	932,2956 mg	.8993 mg	23680.25	20.14	744	70°	07345	Filled	152	
19	LEA	9:00	933,0863 mg	.7407 mg	23697.33	17.08	723	off	07387	Filled	145	
20	EPA	11:02	933,9786 mg	.9423 mg	23718.72	21.39	734	64°	07438	Filled	162	
21	LEA	8:30	934,7620 mg	.7834 mg	23736.59	17.87	731	61°	07481	Filled	190	
22	IS	1:00	935,8826 mg	1.1206 mg	23761.99	25.4	735	74°	7542	Filled	200	
23	EP	10:30	936,6848 mg	.8016 mg	23780.24	18.3	730	63°	7587	Filled	195	
24	DS	10:50	937,4303 mg	.9411 mg	23802.70	21.91	720	138°	7639	Filled	175	
25	CC	9:32	938,4975 mg	.8671 mg	23822.34	20.14	718	61	7687	Filled	183	
26	CC	9:16	939,4530 mg	.9555 mg	23844.49	22.15	696	60	7741	Filled	151	
27	LEA	9:40	940,5074 mg	1.0544 mg	23868.94	24.45	719	60	07799	Filled	150	
28	CC	8:30	941,3766 mg	.8692 mg	23888.87	19.93	727	59°	7847	Filled	190	
29	LEA	8:27	942,1091 mg	.7325 mg	23905.99	17.12	713	58°	07889	Filled	150	
30												
31												

Comments:

MONTH: Mar. 2011
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 942.1091 mg

Hour read: 23905.99

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	LEA	8:08	943.0555	946.4	23927.54	21.55	732	55.9	7940	Filled	155	
2	LEA	9:00	944.0224 mg	966.9	23949.71	22.17	710	57	6799.3	Filled	188	
3	JS	10:30	945.0210 mg	998.6	23972.64	22.93	726	62	8048	Filled	170	
4	LEA	11:06	946.0359 mg	1,014.9	23996.02	23.38	723	62	8104	Filled	190	
5	LEA	8:30	946.8420 mg	806.1	24014.86	18.84	713	78	08149	Filled	200	
6	LEA	8:45	947.7535 mg	911.6	24035.98	21.12	696	74.5	8199	Filled	160	
7	LEA	9:12	948.7287 mg	975.2	24058.37	22.39	726	57.8	8253	Filled	156	
8	LEA	10:01	949.6326 mg	953.7	24080.61	22.34	715	63.5	8306	Filled	187	
9	LEA	8:53	950.5557 mg	873.1	24100.96	20.55	715	76.4	8354	Filled	158	
10	LEA	12:00	951.4372 mg	1,075.8	24117.64	25.1	714	-	8414	Filled	160	
11	LEA	10:31	952.4107 mg	899.5	24145.53	19.17	710	72	8460	Filled	160	
12	LEA	10:19	953.3596 mg	878.9	24166.41	20.38	718	74	8510	Filled	200	
13	LEA	8:01	954.1730 mg	815.4	24185.52	19.11	709	64.1	8556	Filled	150	
14	LEA	9:10	955.1367 mg	903.7	24207.76	20.24	722	68.8	8609	Filled	159	
15	LEA	9:00	956.0332 mg	896.5	24223.16	20.84	717	72.6	8658	Filled	154	
16	LEA	9:00	956.9442 mg	901	24244.45	20.55	720	72	8703	Filled	150	
17	LEA	10:00	957.9864 mg	1,057.2	24273.64	24.21	724	77	8764	Filled	110	
18	LEA	10:25	958.8236 mg	837.2	24292.72	19.06	732	77	8811	Filled	161	
19	LEA	9:30	959.1354 mg	811.8	24311.94	18.72	727	79	8856	Filled	160	
20	LEA	8:50	960.6000 mg	964.6	24333.39	21.95	732	68	08909	Filled	164	
21	LEA	8:30	961.4649 mg	864.9	24353.10	19.71	731	68	08956	Filled	155	
22	LEA	8:30	962.3817 mg	916.8	24374.32	21.22	720	67	09007	Filled	165	
23	LEA	8:45	963.2746 mg	872.9	24394.44	20	744	71	9056	Filled	168	
24	LEA	9:50	964.3297 mg	877.7	24417.09	23.1	720	-	9109	Filled	145	
25	LEA	12:30	965.2066 mg	899.0	24431.71	22.62	720	69	9163	Filled	149	
26	LEA	9:00	965.9543 mg	747.7	24456.88	17.17	726	55	09204	Filled	154	Flushed bleed off/jarish
27	LEA	9:20	966.7592 mg	804.9	24475.89	18.51	725	70	09249	Filled	150	
28	LEA	8:35	967.5539 mg	794.7	24492.45	18.06	733	72	09292	Filled	172	
29	LEA	8:25	968.4375 mg	883.6	24513.76	20.31	725	69	09341	Filled	156	
30	LEA	8:50	969.3964 mg	958.9	24535.84	22.08	724	76	09393	Filled	166	
31	JS	10:10	970.2755 mg	879.1	24556.46	20.56	712	62	9442	Filled	170	

Comments: *JS*

MONTH: April
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Hour read: 24556.40

Flow Meter Read: 970.2755 mg

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	J	10:30	971.058 mg	970.7 mg	24575.55	19.15	722	64	0955	Filled	185	
2	LEA	8:40	971.9796 mg	8738 mg	24595.87	20.32	717	62	09537	Filled	152	
3	LEA	8:30	972.9201 mg	9405 mg	24617.63	21.76	720	72	09589	Filled	153	SWEEP OUT Chlorinator Rn
4	LEA	8:10	973.8402 mg	9201 mg	24639.25	21.62	709	63	09640	Filled	155	
5	LEA	8:05	974.8285 mg	9883 mg	24662.22	22.97	717	60	09695	Filled	152	
6	LEA	8:17	975.7696 mg	9711 mg	24684.23	23.01	713	52.1	9747	Filled	149	
7	LEA	8:09	976.6793 mg	9897 mg	24705.38	21.15	717	68	9797	Filled	156	
8	LEA	10:02	977.6411 mg	9649 mg	24727.83	22.45	714	75	9851	Filled	176	
9	LEA	9:30	978.6580 mg	1.0169 mg	24751.51	23.68	716	80	09908	Filled	158	Flushed Blow off
10	LEA	8:30	979.6291 mg	9711 mg	24774.07	22.56	717	74	09961	Filled	156	
11	LEA	8:25	980.6629 mg	1.0338 mg	24797.98	23.91	721	61	10018	Filled	163	
12	LEA	8:25	981.6896 mg	9267 mg	24819.20	21.32	724	62	10069	Filled	150	
13	LEA	8:30	982.5240 mg	9344 mg	24840.91	21.61	721	65	10120	Filled	155	WPEED:09
14	LEA	10:55	983.5031 mg	9791 mg	24863.69	22.78	716	64	10175	Filled	163	
15	LEA	10:58	984.4619 mg	9588 mg	24885.56	21.87	731	68	10227	Filled	167	
16	LEA	8:55	985.2624 mg	8005 mg	24904.15	18.59	718	62	10271	Filled	175	
17	LEA	9:55	986.2151 mg	9527 mg	24926.35	22.20	715	62	10324	Filled	162	
18	LEA	9:05	987.1380 mg	9179 mg	24947.66	21.31	718	60	10375	Filled	181	
19	LEA	8:05	987.9884 mg	8524 mg	24967.98	20.32	699	82.4	10423	Filled	158	
20	NB	9:27	988.9443 mg	1.0099 mg	24991.53	23.55	714	84	10474	Filled	160	
21	LEA	9:25	990.0211 mg	1.0268 mg	25016.62	24.09	717	92	10536	Filled	160	
22	LEA	8:31	990.9967 mg	9756 mg	25038.73	23.11	703	—	10591	Filled	150	703 GPM
23	AM	9:28	992.0444 mg	1.0477 mg	25063.70	24.97	699	82	10650	Filled	185	
24	AM	8:18	993.0173 mg	9729 mg	25080.50	22.8	711	75	10704	Filled	155	
25	NB LEA	8:50	994.0667 mg	1.0434 mg	25111.10	24.6	707	84	10762	Filled	162	
26	LEA	8:28	994.9580 mg	8973 mg	25132.80	21.7	689	71.6	10812	Filled	151	
27	AM	8:54	996.0086 mg	1.0506 mg	25177.14	24.39	718	62	10870	Filled	150	
28	LEA	10:00	997.8604 mg	1.0588 mg	25181.96	24.77	707	62	10929	Filled	172	
29	LEA	9:20	998.0191 mg	9589 mg	25204.73	22.77	707	—	10983	Filled	150	
30	LEA	8:43	998.9944 mg	9753 mg	25227.90	23.17	702	89.9	11037	Filled	182	
31												

Comments:

MONTH: May
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District

Well Log

Last months Flow read: 098.9944 mg
 Hour read: 2522790

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	NEA	8:24	999.9978 mg	1.0034	2523153	23.63	708	83.9	11093	Filled	155	
2	LEA	8:17	1000.9006 mg	.9988 mg	2522284	21.31	706	80.5	11144	Filled	150	oil to start
3	LEA	8:03	1001.9024 mg	1.0016	25219623	23.59	714	78.8	11199	Filled	150	
4	LEA	8:55	1002.8966 mg	0.9987	2521948	23.25	705	86	11254	Filled	175	
5	LEA	1:00	1004.7011 mg	1.1150	2521615	26.67	197	-	11317	Filled	162	
6	LEA	8:20	1005.6972 mg	1.0034	2521374	23.70	706	86	11366	Filled	155	
7	DS	9:30	1005.6931 mg	0.9929	2521064	23.70	695	89.0	11422	Filled	200	
8	LEA	8:30	1006.6892 mg	0.9968	2521387	22.93	704	85.0	11476	Filled	171	oil to start
9	LEA	8:12	1007.7721 mg	.9409 mg	2543622	22.65	692	91.0	11530	Filled	171	
10	LEA	8:27	1008.7682 mg	0.9741	2543340	21.19	688	85.4	11586	Filled	172	
11	LEA	8:30	1009.6772 mg	1.0304 mg	2548161	24.21	709	87.0	11637	Filled	174	
12	LEA	8:52	1010.6736 mg	0.9999 mg	2550479	23.16	690	87.0	11691	Filled	155	
13	LEA	10:05	1011.7384 mg	1.1014 mg	2553119	26.4	195	96.0	11754	Filled	161	
14	LEA	11:30	1012.7345 mg	1.0401 mg	2555665	25.16	681	90	11813	Filled	180	
15	LEA	8:08	1013.6306 mg	0.8531 mg	2557719	20.54	691	88.2	11862	Filled	165	
16	LEA	8:50	1014.6486 mg	1.0180 mg	2560193	24.74	686	87	11919	Filled	166	
17	LEA	8:15	1015.6209 mg	0.9723 mg	2562533	23.40	693	87.0	11974	Filled	163	
18	NEA	8:24	1016.5780 mg	0.9521 mg	2564837	23.04	692	85.5	12029	Filled	155	oil to start
19	LEA	9:22	1017.5915 mg	1.0135 mg	2567307	24.7	684	85.4	12087	Filled	160	
20	LEA	8:20	1018.5876 mg	1.0207 mg	2569610	23.03	688	-	12141	Filled	176	
21	LEA	8:47	1019.5341 mg	0.9919 mg	2572046	24.36	679	96.0	12198	Filled	167	DEPLETED COMPRESSOR
22	LEA	8:10	1020.4915 mg	0.9571 mg	2574379	23.33	684	84.9	12253	Filled	172	LEAK COMPRESSOR
23	LEA	8:15	1021.4839 mg	0.9924 mg	2576795	24.16	685	82.0	12309	Filled	172	
24	LEA	8:02	1022.4576 mg	0.9737 mg	2579112	23.68	685	81.5	12365	Filled	170	
25	LEA	8:05	1023.4154 mg	0.9578 mg	2581494	23.31	685	off	12420	Filled	190	FAIL TO START
26	LEA	8:45	1024.4071 mg	1.0527 mg	2584020	25.76	694	110	12479	Filled	181	RESET
27	LEA	10:30	1025.5677 mg	1.0916 mg	2586658	26.38	695	off	12547	Filled	168	
28	LEA	8:20	1026.5638 mg	0.9822 mg	2589184	25.53	696	88	12605	Filled	177	
29	LEA	9:15	1027.4378 mg	0.9659 mg	2591189	23.48	686	91.0	12648	Filled	172	
30	LEA	8:40	1028.4125 mg	0.9747 mg	2593535	23.46	692	88	12709	Filled	190	
31	LEA	8:10	1029.3768 mg	0.9390 mg	2595884	23.49	666	88	12759	Filled	161	

Comments: 8M Down 5/8/12. DS, CS, LEA 5/25. 10DEP.

MONTH: June
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 1029.3768 MG Hour read: 25958.84

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Run	gpm	Temp	Edison	Oil	PSI	Comments
1	NB	8:54	1030.3983 MG	1,021.5 MG	25983.60	24.76	688	104.5	12817	Filled	165	
2	LEA	9:05	1031.1147 MG	1,017.6 MG	26000.63	24.63	754	102	12878	Filled	160	
3	BS	11:00	1032.4935 MG	1,018.9 MG	26034.39	24.74	686	—	12936	Filled	161	
4	LEA	8:25	1033.3418 MG	848.3 MG	26055.06	20.61	684	85°	12985	Filled	161	FAIL TO START MAYBE FAIL
5	LEA	9:05	1034.3309 MG	989.1 MG	26079.23	24.17	682	off	13042	Filled	189	
6	LEA	8:05	1035.1034 MG	752.5 MG	26098.54	19.31	679	87°	13087	Filled	151	
7	LEA	9:05	1036.1187 MG	1,035.3 MG	26123.57	25.03	689	84°	13146	Filled	168	FURNISHED BLOW OFF GET WASH
8	LEA	9:10	1037.0572 MG	978.5 MG	26143.61	24.04	678	87°	13202	Filled	167	
9	JS	10:00	1038.0568 MG	958.8 MG	26170.97	23.36	674	73°	13257	Filled	182	
10	LEA	10:45	1039.1407 MG	1,083.3 MG	26187.25	26.28	681	—	13312	Filled	181	
11	LEA	8:20	1040.0099 MG	869.8 MG	26218.78	21.53	673	98°	13369	Filled	178	
12	LEA	8:15	1040.9810 MG	971.1 MG	26242.07	23.85	677	87°	13425	Filled	170	
13	LEA	8:20	1041.9805 MG	999.5 MG	26266.79	24.12	691	92°	13482	Filled	180	
14	LEA	8:14	1042.7715 MG	917.5 MG	26290.05	23.80	684	86.5	13538	Filled	170	
15	CC	8:50	1044.0011 MG	1,031.9 MG	26315.23	24.53	704	88.1	13597	Filled	165	
16	CC	9:41	1045.0353 MG	1,021.4 MG	26339.74	24.56	695	93.8	13685	Filled	160	
17	TC	7:25	1045.9285 MG	894.9 MG	26361.91	22.12	674	—	13706	Filled	185	
18	LEA	9:10	1047.0020 MG	1,073.5 MG	26387.60	25.69	681	82°	13767	Filled	156	
19	LEA	8:25	1047.9803 MG	978.5 MG	26410.92	23.32	699	100°	13822	Filled	169	
20	LEA	8:20	1048.9913 MG	1,010.0 MG	26434.78	23.86	706	98°	13878	Filled	156	
21	LEA	8:25	1049.9922 MG	1,000.9 MG	26458.88	24.10	692	99°	13935	Filled	156	
22	LEA	9:25	1051.0349 MG	1,042.7 MG	26483.90	25.02	695	93°	13991	Filled	160	
23	JS	10:40	1052.0261 MG	997.2 MG	26507.95	24.05	687	84	14050	Filled	167	
24	LEA	10:40	1053.0185 MG	1,027.8 MG	26532.64	24.69	690	89°	14108	Filled	160	
25	LEA	7:50	1053.9490 MG	900.7 MG	26554.33	21.69	692	81°	14159	Filled	157	
26	LEA	8:48	1054.9717 MG	1,029.6 MG	26574.10	24.84	690	89°	14218	Filled	160	
27	CC	8:06	1055.9434 MG	964.1 MG	26602.51	23.33	699	88°	14272	Filled	155	
28	CC	8:26	1056.9513 MG	1,001.9 MG	26626.30	24.29	697	85°	14327	Filled	167	
29	CC	9:16	1057.9722 MG	1,040.9 MG	26651.01	24.86	698	91.5	14383	Filled	156	
30	CC	10:00	1058.9861 MG	1,063.1 MG	26676.81	25.15	695	91.5	14438	Filled	156	
31												

Comments: 6-6 Replaced 3 times (oil) 6-23 at electrical shut down on panel 6-27 Felisa on inside Door 125° inside 9:26 104

MMG
 MMG
 MMG

MONTH: July
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 1059.056 / Hour read: 26676.81

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Run	gpm	Temp	Edison	Oil	PSI	Comments
1	CC	11:00	1066.1340	1077.9	26702.31	25.5	764	95°	14506	Filled	155	
2	CC	9:10	1061.0259	839.0	26712.33	21.34	698	88.4°	14558	Filled	155	
3	CC	8:19	1061.9813	957.1	26746.69	23.14	690	87.8°	14611	Filled	152	
4	LEA	9:21	1063.0237 MG	1074.26	26771.58	24.89	698	92.8°	14671	Filled	150	GREASED MOTOR REPAIRED COMPRESSOR MISFIRE
5	LEA	8:43	1063.9987 MG	974.8 MG	26794.93	23.35	696	98.7°	14726	Filled	150	
6	LEA	11:20	1065.2278 MG	1139.1 MG	26821.57	26.64	706	101°	14789	Filled	149	
7	CC	12:43	1066.1619 mg	1-03:41 mg	26846.85	25.28	682	101.9°	14848	Filled	162	
8	CC	10:07	1067.0391 mg	877.2 mg	26868.36	21.51	680	92.5°	14898	Filled	161	
9	LEA	8:58	1067.9657 MG	926.6 MG	26891.18	22.82	677	103°	14952	Filled	161	
10	LEA	8:05	1068.9151 MG	949.4 MG	26914.33	23.15	684	107°	15006	Filled	162	
11	LEA	8:25	1069.9004 MG	985.3 MG	26938.67	24.34	675	107°	15063	Filled	161	
12	LEA	7:50	1070.7699 MG	869.5 MG	26960.09	21.42	677	106°	15113	Filled	166	
13	CC	8:08	1071.7012 mg	933.3 mg	26983.36	23.27	667	83.3°	15167	Filled	160	
14	CC	10:19	1072.7850 mg	1-08:38 mg	27004.54	26.18	689	93.6°	15228	Filled	160	
15	CC	8:25	1073.6734 mg	890.4 mg	27031.70	22.16	669	—	15280	Filled	162	
16	LEA	9:35	1074.6862 MG	1012.8 MG	27056.84	25.14	671	90°	15388	Filled	188	
17	NB	8:51	1075.6257 MG	939.5 MG	27080.10	23.26	673	103.4°	15393	Filled	184	
18	LEA	8:55	1076.5026 MG	878.9 MG	27101.98	21.88	668	90°	15444	Filled	168	Flushed 80 at WASH
19	LEA	8:50	1077.4585 MG	955.9 MG	27125.86	23.88	667	97°	15499	Filled	163	
20	LEA	9:20	1078.4439 MG	985.4 MG	27150.33	24.47	671	97°	15556	Filled	180	
21	CC	11:05	1079.4604 mg	1-01:05 mg	27175.63	25.30	669	105°	15615	Filled	190	
22	CC	11:00	1080.4317 mg	971.3 mg	27199.72	24.07	671	112°	15677	Filled	148	
23	CC	8:50	1081.3369 mg	905.2 mg	27221.87	22.15	681	97.4°	15723	Filled	161	
24	LEA	8:25	1082.2952 MG	958.3 MG	27245.46	23.59	677	91°	15778	Filled	166	
25	CC	8:10	1083.2535 MG	955.3 MG	27269.31	23.85	670	95°	15834	Filled	155	
26	LEA	8:50	1084.2559 MG	1-00:24 mg	27293.87	24.56	680	93°	15892	Filled	162	
27	CC	8:51	1085.2344 mg	917.85	27317.91	24.07	678	88.1°	15948	Filled	161	
28	CC	11:00	1086.1568 mg	922.1 mg	27341.55	22.79	671	90°	16001	Filled	157	
29	CC	12:00	1087.2172	1,062.4	27366.76	24.03	680	101°	16062	Filled	200	
30	LEA	8:20	1088.0408 MG	821.6 MG	27387.14	20.38	672	88°	16110	Filled	188	
31	LEA	9:05	1088.9661 MG	925.3 MG	27410.26	23.22	664	95°	16164	Filled	161	

Comments: 7-5 Flushed 80 at 2245h
 7-20 Flushed 80 at 2256h
 7-30

MONTH: August
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Hour read: 27410.36

Flow Meter Read 1088.9661 MG

Last months Flow read:

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	LEA	8:43	1089.9291 MG	9630 MG	27433.95	23.59	680	92.6°	16219	Filled	162	
2	LEA	8:30	1090.8956 MG	9665 MG	27457.72	23.77	678	89.5°	16275	Filled	157	
3	LEA	9:05	1091.9013 MG	10057 MG	27482.71	24.59	682	103°	16332	Filled	168	
4	JS	10:05	1092.9045 MG	10033 MG	27506.34	24.08	694	123°	16389	Filled	165	
5	EPA	10:21	1093.8265 MG	0.9222 MG	27528.64	22.27	690	92.0°	16448	Filled	160	
6	LEA	9:10	1094.7517 MG	9985 MG	27551.89	22.73	678	106.5°	16495	Filled	185	FLUSH 30.00 at wash
7	LEA	8:10	1095.6736 MG	0.9219 MG	27574.38	22.99	668	102.5°	16549	Filled	156	
8	LEA	8:40	1096.6747 MG	10041 MG	27598.88	24.51	681	109°	16606	Filled	162	
9	LEA	8:25	1097.6234 MG	9587 MG	27622.64	23.75	673	109°	16662	Filled	185	
10	LEA	8:10	1098.6251 MG	8675 MG	27647.38	24.49	670	104.9°	16710	Filled	160	
11	PS	11:20	1099.6951	1.0594 MG	27673.58	26.00	679	54°	16758	Filled	161	
12	EPA	9:46	1100.6793	8242 MG	27699.27	26.69	664	160°	16829	Filled	100	
13	LEA	8:40	1101.4152 MG	8959 MG	27716.25	21.98	679	107°	16880	Filled	155	2.00" 162"
14	LEA	8:55	1102.3800 MG	9648 MG	27737.97	23.72	678	104°	16936	Filled	170	3.00" 162"
15	TC	8:50	1103.3535 MG	0.9755 MG	27763.90	23.93	678	—	16992	Filled	162	
16	PS	8:30	1104.3156 MG	9677 MG	27787.36	23.96	677	102°	17047	Filled	175	
17	LEA	9:10	1105.3151 MG	9999 MG	27811.66	24.30	686	106°	17104	Filled	157	
18	PS	8:30	1106.2774 MG	9023 MG	27833.43	21.77	690	100°	17156	Filled	150	
19	SS	7:55	1107.3167 MG	1.0493 MG	27857.91	26.48	671	0.0°	17218	Filled	180	
20	SEA	9:00	1108.2882 MG	9765 MG	27888.35	23.44	684	103°	17273	Filled	158	FLUSH 30.00 at wash
21	LEA	9:40	1109.2904 MG	9972 MG	27907.65	24.2	687	108°	17330	Filled	161	
22	LEA	9:25	1110.2777 MG	9813 MG	27921.32	23.27	688	84°	17386	Filled	158	
23	LEA	8:40	1111.2215 MG	9498 MG	27954.51	23.19	683	94°	17440	Filled	163	
24	SEA	9:00	1112.2265 MG	10000 MG	27978.06	24.15	690	109°	17497	Filled	159	
25	PS	10:15	1113.2554 MG	1.0727 MG	28004.75	15.57	699	—	17558	Filled	157	
26	PS	10:50	1114.2909 MG	1.0445 MG	28028.68	24.43	692	97°	17615	Filled	162	
27	PS	8:57	1115.1910	0.8811 MG	28049.45	21.27	690	87.5°	17665	Filled	155	
28	LEA	8:27	1116.1124 MG	9974 MG	28072.16	22.21	691	89°	17718	Filled	158	
29	LEA	8:35	1117.1168 MG	1.0044 MG	28096.28	24.12	694	107°	17774	Filled	157	
30	LEA	8:20	1118.0926 MG	9758 MG	28120.01	23.73	685	101°	17830	Filled	158	
31	LEA	9:35	1119.0161 MG	9235 MG	28142.25	22.24	682	94°	17883	Filled	165	

Comments:

MC H: September
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 1119.9161 MG
 Hour read: 28142.25

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	B	11:40	1120.0271 MG	1.011 MG	28166.31	24.06	700	167°	17940	✓	180	
2	LEA	8:16	1120.5089 MG	0.885 MG	28187.82	21.57	682	166°	17970		165	
3	LEA	8:25	1121.7917 MG	0.833 MG	28209.58	21.76	677	161°	18041	Filled	155	
4	LEA	8:10	1122.8307 MG	1.029 MG	28234.35	24.77	692	163°	18099	Filled	160	
5	LEA	8:55	1123.7964 MG	0.975 MG	28258.08	23.73	685	166°	18155	Filled	154	
6	LEA	8:55	1124.8000 MG	1.003 MG	28282.48	24.40	686	161°	18212	Filled	162	FULLER S.C. WASH
7	LEA	8:55	1125.6327 MG	0.830 MG	28302.76	20.28	683	163°	18260	Filled	156	
8	LEA	9:07	1126.6088 MG	0.978 MG	28326.32	23.56	692	OFF	18316	Filled	148	
9	LEA	8:54	1127.5817 MG	0.979 MG	28349.60	22.68	714	165°	18371	Filled	167	3 gpm 677
10	LEA	8:45	1128.4576 MG	0.875 MG	28371.79	22.79	646	161°	18422	Filled	158	
11	LEA	10:15	1129.4671 MG	1.009 MG	28396.31	24.92	686	166°	18480	Filled	150	
12	LEA	8:20	1130.3512 MG	0.884 MG	28417.78	21.46	687	161°	18530	Filled	155	
13	LEA	9:25	1131.3938 MG	1.042 MG	28443.01	25.23	689	162°	18590	Filled	160	
14	LEA	8:35	1132.3443 MG	0.950 MG	28466.02	23.01	688	166°	18644	Filled	170	
15	LEA	11:00	1133.2547 MG	1.010 MG	28490.43	24.41	689	155°	18701	Filled	168	
16	LEA	9:16	1134.3157 MG	0.961 MG	28513.71	23.28	688	161°	18750	Filled	170	
17	LEA	9:20	1135.2392 MG	0.933 MG	28536.40	22.69	678	off	18809	Filled	148	
18	LEA	8:00	1136.0911 MG	0.859 MG	28557.10	20.70	686	168°	18858	Filled	161	
19	LEA	8:30	1137.0928 MG	1.001 MG	28581.68	24.54	679	169°	18916	Filled	160	
20	LEA	8:40	1138.0781 MG	0.985 MG	28605.82	24.14	680	165°	18972	Filled	170	
21	LEA	8:55	1139.0604 MG	0.932 MG	28630.01	24.19	677	169°	19029	Filled	167	
22	LEA	1:00	1140.1023 MG	1.042 MG	28655.15	25.13	690	161°	19088	Filled	160	
23	LEA	10:00	1141.0403 MG	0.937 MG	28679.09	22.9	681	161°	19141	Filled	167	
24	LEA	8:10	1141.8916 MG	0.853 MG	28699.24	21.2	676	161°	19191	Filled	155	
25	LEA	1:15	1143.1073 MG	1.207 MG	28718.36	29.57	692	169°	19260	Filled	165	
26	LEA	9:00	1143.8889 MG	0.869 MG	28742.11	19.05	683	161°	19305	Filled	165	
27	LEA	8:40	1144.8678 MG	0.979 MG	28771.14	23.73	687	161°	19361	Filled	156	
28	LEA	9:25	1145.8488 MG	0.806 MG	28794.22	22.68	680	160°	19416	Filled	170	5 gpm 26.5 gpm
29	LEA	12:25	1146.9549 MG	1.106 MG	28821.25	26.43	698	166°	19479	Filled	160	
30	LEA	9:03	1147.7936 MG	0.838 MG	28847.79	20.34	687	161°	19527	Filled	169	
31												

Comments: _____

Phelean Pinon Hills Community Service District

MONTH: October
 YEAR: 2012
 SITE: W-14

Well Log

Last months Flow read: 1147.7936 MG

Hour read: 28841.79

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	LEA	9:20	1148.6661 MG	.8725 MG	28863.06	21.27	684	105°	19577	Filled	1644	
2	LEA	9:10	1151.6389 MG	.8728 MG	28886.85	23.54	687	105°	19622	Filled	1646	
3	LEA	10:25	1150.6034 MG	.9645 MG	28909.74	22.09	696	105°	19687	Filled	156	
4	LEA	8:55	1151.5182 MG	1.448 MG	28932.19	33.45	781	94°	19140	Filled	153	
5	CC	8:33	1151.4820 MG	.9333 MG	28954.46	20.27	699	74°	19793	Filled	155	
6	CC	8:10	1153.1305 MG	.9513 MG	28977.31	22.85	696	74°	19877	Filled	167	
7	CC	8:55	1154.4580 MG	1.0217 MG	29001.53	24.22	703	77.5°	19904	Filled	157	
8	LEA	8:55	1155.1157 MG	.9577 MG	29024.67	23.14	690	81°	19959	Filled	153	
9	TC	7:50	1155.7794 MG	.5637 MG	29038.43	13.76	652	77°	19991	Filled	155	
10	LEA	8:35	1156.9898 MG	1.0044 MG	29062.53	24.10	695	77°	20048	Filled	170	3:00PM
11	LEA	8:30	1157.9706 MG	.9868 MG	29086.39	22.86	689	78°	20104	Filled	154	180psi. 58 Res. 14
12	LEA	9:10	1158.2917 MG	1.0211 MG	29110.38	23.99	704	78°	20161	Filled	153	25 184psi. 42
13	TS	9:45	1159.9447 MG	.953 MG	29133.29	22.91	693	80°	20216	Filled	155	
14	TS	10:00	1160.8755 MG	.9708 MG	29155.79	22.50	689	80°	20269	Filled	160	
15	LEA	8:35	1161.8162 MG	.9407 MG	29178.46	22.67	693	84°	20322	Filled	175	
16	CC	8:10	1163.1233 MG	.9096 MG	29200.69	22.23	682	74.6°	20375	Filled	156	
17	LEA	8:40	1163.7574 MG	1.0316 MG	29225.20	24.51	701	80.6°	20433	Filled	172	
18	CC	10:15	1164.8270 MG	1.0616 MG	29250.78	25.54	697	85.1°	20493	Filled	165	
19	CC	9:30	1165.7966 MG	.9696 MG	29274.04	23.26	695	82.7°	20549	Filled	165	
20	CC	9:35	1166.7554 MG	.9583 MG	29297.14	23.1	692	84.1°	20602	Filled	156	
21	LEA	10:27	1167.8187 MG	1.0633 MG	29322.02	24.88	712	74°	20661	Filled	175	
22	LEA	8:40	1168.6925 MG	.8738 MG	29347.88	20.86	688	75°	20711	Filled	165	
23	NB	7:50	1169.6868 MG	.9945 MG	29366.02	23.14	716	78°	20766	Filled	172	
24	LEA	8:35	1170.6454 MG	.9586 MG	29388.62	22.60	707	85°	20820	Filled	153	
25	LEA	10:25	1171.5815 MG	.9361 MG	29410.74	22.12	705	78°	20872	Filled	200	
26	LEA	8:50	1172.4230 MG	.8415 MG	29435.85	20.17	697	77°	20926	Filled	172	
27	TS	9:45	1173.2310 MG	.8080 MG	29450.40	19.63	686	80°	20967	Filled	180	
28	LEA	10:25	1174.1493 MG	.9153 MG	29472.29	21.81	697	80°	21019	Filled	165	
29	LEA	9:00	1174.9308 MG	.7875 MG	29491.65	19.36	678	80°	21064	Filled	195	
30	LEA	8:45	1175.5015 MG	.5827 MG	29505.49	13.84	702	81°	21098	Filled	165	
31	LEA	9:50	1176.3602 MG	.8467 MG	29525.85	20.36	693	88°	21146	Filled	173	

Comments: 10/19 Pump Check, LEA Flow Test, 10/15 Blow out 662 pump motor assembly.

MONTH: November
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Hour read: 29525.85

Flow Meter Read 1176.3602 MG

Last months Flow read:

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran.	gpm	Temp	Edison	Oil	PSI	Comments
1	LEA	8:15	1177.1877 MG	1.8275 MG	29546.21	20.36	677	82°	21194	Filled	172	
2	CC	10:03	1178.0480 MG	1.8575 MG	29566.90	20.09	691	68°	21243	Filled	175	
3	BMC	10:25	1178.3435 MG	1.7985 MG	29580.11	19.21	692	ON	21287	Filled	175	
4	CC	9:22	1179.6696 MG	1.8201 MG	29600.21	20.1	685	80°	21336	Filled	160	
5	LEA	8:35	1180.5891 MG	1.9195 MG	29627.99	21.78	704	73°	21388	Filled	160	
6	CC	9:14	1181.6041 MG	1.035 MG	29652.54	24.55	703	OFF	21446	Filled	145	well off
7	LEA	8:00	1182.3047 MG	1.6806 MG	29669.01	16.47	689	off	21485	Filled	150	well off
8	CC	8:25	1183.2354 MG	1.9307 MG	29691.68	24.07	703	96°	21538	Filled	160	
9	LEA	9:50	1184.1702 MG	1.9348 MG	29713.26	22.18	702	88°	21590	Filled	152	
10	NB	9:00	1185.0868 MG	1.8566 MG	29733.61	20.35	702	82°	21639	Filled	165	
11	TC	8:22	1185.9134 MG	1.8866 MG	29754.57	20.96	704	—	21689	Filled	153	
12	CC	5:30	1186.8405 MG	1.9274 MG	29776.48	21.91	705	—	21741	Filled	180	
13	LEA	9:20	1187.7847 MG	1.9439 MG	29798.93	22.45	701	88°	21794	Filled	188	
14	LEA	9:05	1188.6928 MG	1.9081 MG	29820.32	21.39	708	71°	21845	Filled	155	
15	CC	9:25	1189.6400 MG	1.9472 MG	29842.71	22.39	705	87°	21898	Filled	152	
16	CC	8:39	1190.6275 MG	1.9875 MG	29865.88	23.17	710	ON	21954	Filled	165	
17	RS	11:15	1191.6986 MG	1.0711 MG	29890.83	24.95	715	ON	22013	Filled	190	
18	CC	9:00	1192.6656 MG	1.9667 MG	29913.46	22.93	713	86°	22067	Filled	150	
19	CC	8:50	1193.5276 MG	1.8626 MG	29933.73	20.47	702	82°	22115	Filled	156	
20	CC	8:24	1194.5172 MG	1.9896 MG	29954.87	23.19	713	85°	22171	Filled	150	
21	LEA	9:05	1195.4847 MG	1.9675 MG	29979.48	22.61	713	77°	22225	Filled	160	
22	JS	9:15	1196.4979 MG	1.0120 MG	30003.34	23.86	707	ON	22281	Filled	150	
23	RS	12:25	1197.6325 MG	1.1852 MG	30028.81	27.47	719	ON	22347	Filled	160	
24	CC	10:10	1198.6241 MG	1.9416 MG	30052.84	22.09	719	ON	22399	Filled	200	
25	RS	10:50	1199.6672 MG	1.0431 MG	30077.23	24.39	713	ON	22457	Filled	156	
26	LEA	8:25	1200.5882 MG	1.9210 MG	30098.84	21.61	710	83°	22509	Filled	163	
27	CC	8:23	1201.6084 MG	1.0101 MG	30122.80	23.96	710	92°	22566	Filled	150	
28	LEA	9:05	1202.6286 MG	1.9795 MG	30146.77	22.84	710	OFF	22620	Filled	146	
29	CC	8:43	1203.4954 MG	1.9091 MG	30167.17	21.43	707	92°	22671	Filled	150	
30	CC	9:27	1204.5722 MG	1.9766 MG	30189.99	22.82	713	87°	22726	Filled	150	
31												

Comments:

Phelan Pinon Hills Community Service District

MONTH: December
 YEAR: 2012
 SITE: W-14

Well Log

Last months Flow read: 1204.9722 MG
 Hour read: 30189.99

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	CC	7:18	1205.4258 MG	.9536 MG	30211.93	21.79	724	ON	23278	Filled	155	
2	CC	9:38	1206.5164 MG	1.0906 MG	30237.11	25.18	702	ON	23538	Filled	150	
3	LEA	9:05	1207.4954 MG	.9790 MG	30259.96	22.85	714	ON	22892	Filled	150	
4	LEA	11:30	1208.6304 MG	1.1350 MG	30286.35	26.4	717	ON	22955	Filled	189	
5	LEA	8:20	1209.4457 MG	.8153 MG	30305.51	19.16	709	ON	23001	Filled	155	
6	LEA	8:25	1210.4141 MG	.9684 MG	30328.24	22.73	710	ON	23055	Filled	150	PM's described applied here at 10:00
7	LEA	9:20	1211.4131 MG	.9990 MG	30350.84	22.60	787	ON	23109	Filled	154	
8	NB	9:20	1212.4355 MG	1.0224 MG	30374.71	23.87	714	ON	23166	Filled	155	
9	NB	9:25	1213.3641 MG	.9286 MG	30396.33	21.62	716	ON	23218	Filled	160	
10	LEA	9:15	1214.2761 MG	.9120 MG	30417.86	21.53	706	ON	23269	Filled	154	
11	CC	8:12	1215.2676 MG	.9915 MG	30440.82	22.96	720	ON	23323	Filled	160	
12	CC	8:40	1216.2124 MG	.9448 MG	30463.02	22.2	709	ON	23376	Filled	167	
13	NB	10:00	1217.3012 MG	1.0888 MG	30488.91	25.39	714	ON	23437	Filled	200	
14	CC	9:46	1218.1947 MG	.8935 MG	30509.10	20.69	720	ON	23486	Filled	165	
15	CC	8:00	1219.2006 MG	1.0057 MG	30532.47	23.27	717	ON	23542	Filled	166	
16	CC	9:40	1219.9531 MG	.7575 MG	30549.92	17.75	719	ON	23583	Filled	160	
17	LEA	9:25	1220.9810 MG	1.0279 MG	30573.77	23.85	718	ON	23640	Filled	155	
18	LEA	8:20	1221.0278 MG	.0468 MG	30574.84	1.07	729	OFF	23643	Filled	146	
19	LEA	9:05	1221.0506 MG	.0228 MG	30575.46	.62	613	ON	23645	Filled	153	JUST STARTED WELL
20	LEA	8:50	1221.9719 MG	.9213 MG	30596.76	21.30	721	OFF	23696	Filled	147	
21	LEA	9:15	1222.8214 MG	.8495 MG	30616.69	19.93	710	OFF	23744	Filled	150	WELL FIRED UP
22	CC	9:37	1223.6680 MG	.8476 MG	30636.49	19.8	713	ON	23791	Filled	147	
23	CC	10:00	1224.4933 MG	.8243 MG	30655.60	19.11	718	ON	23837	Filled	160	
24	CC	6:54	1225.1632 MG	.6699 MG	30691.14	15.54	718	ON	23874	Filled	155	
25	CC	7:14	1225.9871 MG	.8239 MG	30690.11	19.05	710	OFF	23919	Filled	145	
26	LEA	8:30	1226.7284 MG	.7413 MG	30707.39	17.20	718	ON	23961	Filled	160	WELL JUST FIRED UP
27	LEA	8:30	1227.5204 MG	.7920 MG	30725.73	18.34	720	OFF	24005	Filled	159	
28	CC	9:16	1228.2705 MG	.7501 MG	30743.16	17.43	718	ON	24047	Filled	157	
29	NMG	9:45	1229.0458 MG	.7753 MG	30761.24	18.08	715	ON	24090	Filled	159	
30	CC	9:10	1229.6777 MG	.6397 MG	30776.00	14.76	716	ON	24125	Filled	146	
31	LEA	9:00	1230.3889 MG	.7092 MG	30792.49	16.49	717	ON	24165	Filled	155	

Comments: