

Exhibit C

1 ALESHIRE & WYNDER, LLP
DAVID J. ALESHIRE, Bar No. 65022
2 WILLIAM W. WYNDER, Bar No. 84753
WESLEY A. MILIBAND, Bar No. 241283
3 18881 Von Karman Avenue, Suite 1700
Irvine, CA 92612
4 Telephone: (949) 223-1170
Facsimile: (949) 223-1180
5 daleshire@awattorneys.com
wwynder@awattorneys.com
6 wmliband@awattorneys.com

7 Attorneys for Defendant and Cross-Complainant,
Phelan Piñon Hills Community Services District

8
9 **SUPERIOR COURT OF CALIFORNIA**

10 **COUNTY OF LOS ANGELES - CENTRAL DISTRICT**

11 Coordination Proceeding
12 Special Title (Rule 1550(b))

) Judicial Council Coordination Proceeding
) No. 4408

13 **ANTELOPE VALLEY**
14 **GROUNDWATER CASES**

) (For Filing Purposes Only.: Santa Clara
) County Case No.: 1-05-CV-049053)

15 Included Actions:

) Assigned for All Purposes To:
) Judge: Hon. Jack Komar

16 *Los Angeles County Waterworks District*
No. 40 v.
Diamond Farming Co., et al.

) (Filing Fees Exempt, Per Gov't Code § 6103)

17 Los Angeles County Superior Court, Case
No. BC 325 201

) **[PROPOSED] STIPULATION FOR**
) **PHASE 4 TRIAL REGARDING PHELAN**
) **PINON HILLS COMMUNITY**
) **SERVICES DISTRICT'S**
) **GROUNDWATER PRODUCTION AND**
) **BENEFICIAL USES**

18 *Los Angeles County Waterworks District*
No. 40 v.
Diamond Farming Co., et al.

19 Kern County Superior Court, Case No.
20 S-1500-CV-254-348

21
22 *Wm. Bolthouse Farms, Inc. v. City of*
23 *Lancaster*

) Phase Four Trial Date: May 28, 2013

24 *Diamond Farming Co. v. City of Lancaster*
Diamond Farming Co. v. Palmdale Water
Dist.

25 Riverside County Superior Court,
26 Consolidated Action, Case Nos. RIC 353
840, RIC 344 436, RIC 344 668

27 AND RELATED CROSS-ACTIONS
28

1 TO ALL PARTIES AND TO THEIR ATTORNEYS OF RECORD:

2 Pursuant to the Court's direction that as many facts be stipulated to as possible for the Phase
3 4 Trial, and based specifically upon the Declaration of Don Bartz served on January 31, 2013
4 (which provided more detailed information than ordered by the Court and called for in the "form"
5 declaration, including thorough documentation of well meter readings and well meter accuracy
6 certifications), Phelan Piñon Hills Community Services District ("PPHCSD") hereby seeks
7 stipulation to the facts enumerated below regarding PPHCSD's groundwater production and the
8 uses to PPHCSD applies such groundwater, with counsel for each party requested to execute the
9 appropriate signature block below and serve the same, or to contact PPHCSD's counsel to discuss
10 the same if some modification to this proposed stipulation is desired:

11 1. PPHCSD provides municipal water service to more than 21,000 residents through
12 approximately 6,700 service connections, with PPHCSD's service area located next to the
13 Los Angeles / San Bernardino County line.

14 2. All of PPHCSD's water service facilities, including groundwater production wells,
15 that are serving PPHCSD's residents and customers were constructed and operated by
16 San Bernardino County Zone L-70. One of these groundwater production wells - Well 14 - was
17 constructed by San Bernardino County on a parcel located within Los Angeles County.
18 San Bernardino County purchased this parcel on September 13, 1999 for the purpose of
19 constructing Well 14 from Los Angeles County as part of a Surplus Property sale in which
20 Los Angeles County apparently sought to dispose of property it no longer had any interest to own
21 ("Well 14 Parcel").

22 3. Well 14 is the only PPHCSD well located within the Antelope Valley Adjudication
23 Area as previously defined by the Court. Because of such, only groundwater production from
24 Well 14 is at issue in this litigation matter, although production from other wells is a matter of
25 public record and is timely reported to Upper Mojave River Valley Groundwater Basin
26 Watermaster pursuant to the final judgment reached in *City of Barstow, et al. v. Mojave Water*
27 *Agency, et al.* (Riverside County Superior Court Case Number 208568).

28 4. Well 14's identification number is 05N08W25J001S.

1 5. Well 14's production is as follows, by calendar year: 2005: 1.11 acre feet ("af");
2 2006: 164.15 af; 2007: 20.95 af; 2008: 493.27 af; 2009: 558.65 af; 2010: 1,110.45 af; 2011:
3 1,053.14 af; and, 2012 (through November 30): 955.73 af.

4 6. Attached hereto as Exhibit "A" are true and correct copies of flowmeter readings for
5 Well 14 for calendar years 2011 through November 30, 2012 ("Well Log" or "Well Logs").
6 Exhibit A represents PPHCSD's records, prepared in accordance with PPHCSD's customs and
7 practices, including recordation of the information based upon the water year from October 1
8 through September 30. Also, attached hereto as Exhibit "B" are true and correct copies of
9 Certificates of Accuracy for tests performed on Well 14, which speak to the accuracy of Well 14's
10 meter.

11 7. As part of the municipal use to which groundwater produced by all of PPHCSD's
12 wells is applied, including groundwater produced by Well 14, the groundwater is used for domestic
13 purposes, commercial purposes, and for fire protection including support to or within Los Angeles
14 County as needed, with recent occurrences last year.

15 8. A very small portion of PPHCSD's municipal use is for commercial purposes, given
16 the relatively low commercial presence in PPHCSD's service area and much of what commercial
17 area does exist in the surrounding area is served by a different supplier.

18 9. The vast majority of PPHCSD's municipal use is for domestic purposes. Part of the
19 domestic includes outdoor irrigation, and husbandry in some instances given the rural environment
20 of PPHCSD and surrounding area. PPHCSD does not quantify the percentage of water used by
21 domestic customers for outdoor irrigation, but the use of water for outdoor irrigation is limited
22 given that many water customers within PPHCSD's service area have natural desert landscape for
23 which outdoor irrigation is not used.


24 ///
25 ///
26 ///
27 ///
28 ///

1 10. Also, to help ensure water is used wisely by and within its service area, PPHCSD
2 actively encourages and provides "tips" to its residents and customers on the importance of water
3 conservation and how to do so, with such encouragement and tips available at PPHCSD's official
4 website, found at www.pphcsd.org. PPHCSD's two parks consist of traditional desert landscape,
5 consistent with its surroundings and in furtherance of water conservation principles.

6 Dated: March 11, 2013

ALESHIRE & WYNDER, LLP

7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

By: 
Wesley A. Miliband
Attorneys for Cross-Defendant and
Cross-Complainant,
Phelan Piñon Hills Community
Services District

Dated: March ____, 2013

LeBEAU • THELEN, LLP

By: _____
BOB H. JOYCE
Attorneys for DIAMOND FARMING
COMPANY, a California corporation,
CRYSTAL ORGANIC FARMS, a limited
liability company, GRIMMWAY
ENTERPRISES, INC., and LAPIS LAND
COMPANY, LLC

Dated: March ____, 2013

AKLUFU AND WYSOCKI

By: _____
JOSEPH AKLUFU
Attorneys for John Boruchin and Dora Boruchin
as Trustee for the John and Dora Boruchin
Living Trust, Robert D. Raney and Shirley B.
Raney, as Trustees for the Robert and Shirley
Raney Living Trust

///
///
///

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

Dated: March ____, 2013

ALSTON & BIRD, LLP

By: _____
EDWARD J. CASEY
Attorneys for AV Solar Ranch 1, LLC, Gaskell
SunTower, LLC, LV Ritter Ranch, LLC,
Northrup Grumman Corporation, Palm Hills
Property, LLC, Red Daw SunTower, LLC, SGS
Antelope Valley Development, LLC, Sempra
Energy, Sierra SunTower, LLC, Southern
California Edison Company, Tumbleweed
SunTower, LLC, eSolar, Inc., enXco
Development Corporation

Dated: March ____, 2013

AVILA & PUTNAM

By: _____
VERNON PUTNAM
Attorneys for David S. Mason

Dated: March ____, 2013

BARTKIEWICZ, KRONICK & SHANAHAN

By: _____
RYAN BEZERRA
Attorneys for Copa De Oro Land Company

Dated: March ____, 2013

BEST, BEST & KRIEGER, LLP

By: _____
JEFFREY DUNN
Attorneys for Los Angeles County Waterworks
District No. 40

Dated: March ____, 2013

LAW OFFICES OF SHELDON R. BLUM

By: _____
SHELDON R. BLUM
Attorneys for Sheldon R. Blum, Trustee for the
Sheldon R. Blum Trust, Sheldon R. Blum,
individually

1 Dated: March ____, 2013

BROWNSTEIN, HYATT, FARBER,
SCHRECK, LLP

2

3

By: _____
MICHAEL FIFE
BRADLEY HERREMA
Attorneys for Antelope Valley Ground Water
Agreement Association, Efren Chavez, Del Sur
Ranch, LLC, Healy Enterprises, Inc., Bruce
Burrows, 300 A 40 H, LLC

4

5

6

7

Dated: March ____, 2013

BRUNICK, McELHANEY & KENNEDY, PLC

8

9

10

By: _____
WILLIAM BRUNICK
Attorneys for Antelope Valley East-Kern Water
Agency

11

12

Dated: March ____, 2013

MARVIN G. BURNS, A LAW CORPORATION

13

14

15

By: _____
MARVIN BURNS
Attorneys for George C. Stevens, Jr., as Trustee
of the George C. Stevens, Jr. Trust

16

17

Dated: March ____, 2013

THE CAMPBELL LAW

18

19

20

By: _____
CLAYTON CAMPBELL
Attorneys for Larry V. Leduc, Sonia S. Leduc

21

22

Dated: March ____, 2013

CARLSMITH, BALL

23

24

By: _____
ALLAN GRAF
Attorneys for Leslie Property

25

26 ///

27 ///

28 ///

1 Dated: March ____, 2013

LAW OFFICES OF LYNN CHAO, A.P.C.

2

3

By: _____
LYNN CHAO
Attorneys for Clark C. Lu, Danny C. Lu

4

5

6 Dated: March ____, 2013

CHARLTON WEEKS, LLP

6

7

8

By: _____
BRADLEY WEEKS
Attorneys for Quartz Hill Water District

9

10 Dated: March ____, 2013

LAW OFFICES OF WILLIAM ALLEN CLARK

11

12

By: _____
WILLIAM CLARK
Attorneys for Antelope Valley Country Club
Improvement Company, Inc.

13

14

15 Dated: March ____, 2013

CLIFFORD & BROWN

16

17

By: _____
RICHARD G. ZIMMER
Attorneys for Bolthouse Properties, LLC, Wm.
Bolthouse Farms, Inc.

18

19

20 Dated: March ____, 2013

COVINGTON & CROWE, LLP

21

22

By: _____
ROBERT DOUGHERTY
Attorneys for White Fence Farms Mutual Water
Co., Inc.

23

24

25 ///

26 ///

27 ///

28 ///

1 Dated: March ____, 2013

ELLISON, SCHNEIDER & HARRIS

2

3

By: _____
CHRISTOPHER SANDERS
Attorneys for County Sanitation Districts Nos.
14 and 20 of Los Angeles County

4

5

6 Dated: March ____, 2013

ESKRIDGE LAW

7

8

By: _____
GAYLE ESKRIDGE
Attorneys for Cal-Golf, Inc.

9

10

Dated: March ____, 2013

FAGEN, FRIEDMAN & FULFROST, LLP

11

12

13

By: _____
DAPHNE BORROMEO HALL
KIMBERLY SMITH
Attorneys for Antelope Valley Joint Union High
School District

14

15

16

Dated: March ____, 2013

GREENAN, PEFFER, SALLANDER
& LALLY, LLP

17

18

19

By: _____
RAY PEFFER
Attorneys for David Herrmann

20

21

Dated: March ____, 2013

GRESHAM, SAVAGE, NOLAN & TILDEN

22

23

24

By: _____
MICHAEL DUANE DAVIS
Attorneys for A.V. United Mutual Group,
Adams Bennett Investments, LLC, Antelope
Valley Ground Water Agreement Association,
Baxter Mutual Water Co., Golden Sands Mobile
Home Park, Saint Andrew's Abbey, Inc., Service
Rock Products, LP, Sheep Creek Water
Company, White Fence Farms Mutual Water
Co. Inc.

25

26

27

28

1 Dated: March ____, 2013

HANNA & MORTON, LLP

2

3

By: _____
EDWARD RENWICK
Attorneys for WAGAS Land Company, LLC

4

5

6 Dated: March ____, 2013

HERUM, CRABTREE

7

8

By: _____
ALEXIS STEVENS
JEANNE ZOLEZZI
Attorneys for Antelope Valley Water Storage,
LLC

9

10

11

12 Dated: March ____, 2013

HEWITT & TRUSZKOWSKI

13

14

By: _____
STEPHEN HEWITT
Attorneys for Clinto Huth

15

16

17 Dated: March ____, 2013

JEFFER, MANGELS, BUTLER & MARMARO, LLP

18

19

By: _____
NEILL BROWER
KENNETH EHRLICH
Attorneys for City National Bank, Trustee

20

21

22 Dated: March ____, 2013

LAW OFFICE OF MATTHEW A. KECES

23

24

By: _____
MATTHEW KECES
Attorneys for Lebata, Inc.

25

26

27 Dated: March ____, 2013

By: _____
TERRI KENNEDY
Attorneys for Alice Lyon

28

///

1 Dated: March ____, 2013

KLEIN, DeNATALE, GOLDNER, COOPER,
ROSENLIEB & KIMBALL, LLP

2

3

By: _____

4

JOSEPH HUGHES
Attorneys for H&N Development Co. West, Inc.

5

6

Dated: March ____, 2013

KRAUSE, KALFAYAN, BENINK
& SLAVENS, LLP

7

8

9

By: _____

10

RALPH KALFAYAN
Attorneys for the Willis Class

11

12 Dated: March ____, 2013

KRONICK, MOSKOVITZ, TIEDEMANN
& GIRARD

13

14

By: _____

15

JANET GOLDSMITH
Attorneys for City of Los Angeles

16

17 Dated: March ____, 2013

KUHS & PARKER

18

19

By: _____

20

ROBERT KUHS
Attorneys for Granite Construction Company,
Tejon Ranchcorp

21

22 Dated: March ____, 2013

LAW OFFICE OF MICHAEL J. LaCILENTO

23

24

By: _____

25

MICHAEL LaCILENTO
Attorneys for Maria Balice, Norman Balice

26 ///

27 ///

28 ///

1 Dated: March ____, 2013

LAGERLOF, SENECAL, GOSNEY & KRUSE, LLP

2

3

By: _____
THOMAS BUNN, III
Attorneys for Palmdale Water District

4

5

6 Dated: March ____, 2013

LATHAM & WATKINS, LLP

7

8

By: _____
DANIEL BRUNTON
Attorneys for AV Solar Ranch 1, LLC, High
Desert Investments, LLC

9

10

11 Dated: March ____, 2013

LEMIEUX & O'NEILL

12

13

By: _____
WAYNE LEMIEUX
Attorneys for Big Rock Mutual Water Company,
Desert Lakes Community Services District,
Little Rock Creek Irrigation District, Llano
Mutual Water Company, Llano-Del Rio Water
Company, North Edwards Water District, Palm
Ranch Irrigation District

14

15

16

17

18 Dated: March ____, 2013

LOS ANGELES CITY ATTORNEY'S OFFICE

19

20

By: _____
JULIE C. RILEY
Attorneys for City of Los Angeles

21

22

23 Dated: March ____, 2013

LAW OFFICES OF MICHAEL D. McLACHLAN
APC

24

25

By: _____
MICHAEL McLACHLAN
Attorneys for Wood Class

26

27

///

28

///

1 Dated: March ____, 2013

McMURTREY, HARTSOCK & WORTH

2

3

By: _____
JAMES WORTH
Attorneys for Boron Community Services
District

4

5

6 Dated: March ____, 2013

MESERVE, MUMPER & HUGHES, LLP

7

8

By: _____
CLIFF MELNICK
Attorneys for Cameron Properties

9

10

11 Dated: March ____, 2013

By: _____
RAMSEY KAWAR
Attorney for Middle Butte Mine, Inc.

12

13

14 Dated: March ____, 2013

MORRISON & FOERSTER, LLP

15

16

By: _____
WILLIAM SLOAN
Attorneys for U.S. Borax, Inc.

17

18

19 Dated: March ____, 2013

MURPHY & EVERTZ

20

21

By: _____
DOUGLAS J. EVERTZ
Attorneys for City of Lancaster, Rosamond
Community Services District

22

23

24 Dated: March ____, 2013

LAW OFFICES OF PAT MURPHY

25

26

By: _____
PAT MURPHY
Attorneys for Patty Murphy

27

28 ///

///

1 Dated: March ____, 2013

LAW OFFICE OF DANIEL M. O'LEARY

2

3

By: _____
DANIEL M. O'LEARY
Attorneys for Richard A. Wood

4

5

6 Dated: March ____, 2013

PILLSBURY, WINTHROP, SHAW, PITTMAN, LLP

7

8

By: _____
BRIAN MARTIN
Attorneys for Sorrento West Properties, Inc.

9

10 Dated: March ____, 2013

PIRCHER, NICHOLS & MEEKS

11

12

By: _____
JAMES GOLDMAN
Attorneys for New Anaverde, LLC

13

14

15 Dated: March ____, 2013

PROCOPIO, CORY, HARGREAVES
& SAVITCH, LLP

16

17

18

By: _____
WALTER RUSINEK
Attorneys for NRG Solar Alpine, LLC

19

20 Dated: March ____, 2013

LAW OFFICES OF MANUEL RIVAS, JR.

21

22

By: _____
MANUEL RIVAS
Attorneys for Elias Qarmout

23

24

25 Dated: March ____, 2013

LAW OFFICES OF FRANK SATALINO

26

27

By: _____
FRANK SATALINO
Attorneys for Rosamond Ranch, Elias Shokrian,
Shirley Shokrian

28

1 Dated: March ____, 2013

SHEPPARD, MULLIN, RICHTER
& HAMPTON, LLC

2

3

By: _____
GEOFFREY K. WILLIS
Attorneys for Bushnell Enterprises, LLC

5

6 Dated: March ____, 2013

SMLAND & CHESTER

7

8

By: _____
THEODORE CHESTER
Attorneys for Landinv, Inc.

9

10 Dated: March ____, 2013

ANDREW D. STEIN & ASSOCIATES, INC.

11

12

By: _____
ANDREW STEIN
Attorneys for Randall Blayney

13

14

15 Dated: March ____, 2013

LAW OFFICE OF KURT STIEFLER

16

17

By: _____
KURT STIEFLER
Attorneys for Little Baldy Mutual Water
Company

18

19

20 Dated: March ____, 2013

EDWARD H. STONE, A LAW CORPORATION

21

22

By: _____
EDWARD STONE
Attorneys for Britton Associates, LLP, Steven
Harris

23

24

25 Dated: March ____, 2013

SULLIVAN, HILL, LEWIN, REZ & ENGEL

26

27

By: _____
ROBERT ALLENBY
Attorneys for Jung N. Tom

28

1 Dated: March ____, 2013

TAYLOR & RING

2

3

By: _____

4

JAMES LEWIS
Attorneys for A.V. Materials, Inc., A.C.
Warnack, as Trustee of the A.C. Warnack Trust,
Holliday Rock Co., Inc., Little Rock Sand and
Gravel, Inc., Littlerock Aggregate Co., Inc., dba
Antelope Valley Aggregate, Inc., Monte Vista
Building Sites, Inc., Nibbelink Family Trust,
The Frank and Yvonne Lane Family Trust dated
March 5, 1993 as Restated July 20, 2000, The
George and Charlene Lane Family Trust

5

6

7

8

9

Dated: March ____, 2013

CALIFORNIA WATER SERVICE COMPANY

10

11

By: _____

12

JOHN TOOTLE

13

Dated: March ____, 2013

WEITKAMP & WEITKAMP

14

15

By: _____

16

JOHN WEITKAMP
Attorneys for Arklin Brothers Enterprises, Philip
H. Arklin, Mountain Brook Ranch, LLC, The
Philip H. Arklin Family Trust dated April 28,
1994, The Three Arklin Limited Liability
Company

17

18

19

20 Dated: March ____, 2013

LAW OFFICES OF YOUNG WOOLDRIDGE, LLP

21

22

By: _____

23

SCOTT K. KUNEY
Attorneys for Bujulian Brothers, Inc., Craig Van
Dam, Delmar D. Van Dam, Gary Van Dam,
Gertrude J. Van Dam, WDS California II, LLC

24

25 ///

26 ///

27 ///

28 ///

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

Dated: March ____, 2013

OFFICE OF THE ATTORNEY GENERAL

By: _____
MARILYN H. LEVIN
Attorneys for State of California, Santa Monica
Mountains Conservancy, 50th District
Agricultural Association

Dated: March ____, 2013

U.S. DEPARTMENT OF JUSTICE

By: _____
LEE LEININGER
Attorneys for United States Department of
Justice

2
3 **PROOF OF SERVICE**

4 I, Linda Yarvis,

5 I am employed in the County of Orange, State of California. I am over the age of 18 and
6 not a party to the within action. My business address is 18881 Von Karman Avenue, Suite 1700,
Irvine, CA 92612.

7 On March 11, 2013, I served the within document(s) described as **[PROPOSED]**
8 **STIPULATION FOR PHASE 4 TRIAL REGARDING PHELAN PINON HILLS**
9 **COMMUNITY SERVICES DISTRICT'S GROUNDWATER PRODUCTION AND**
10 **BENEFICIAL USES** as follows:

11 (ELECTRONIC SERVICE) By posting the document(s) listed above to the Santa Clara
County Superior Court website in regard to Antelope Valley Groundwater matter pursuant to the
Court's Clarification Order. Electronic service and electronic posting completed through
www.scefiling.org.

12 (BY MAIL) By placing a true copy of the foregoing document(s) in a sealed envelope
13 addressed as set forth above. I placed each such envelope for collection and mailing following
ordinary business practices. I am readily familiar with this Firm's practice for collection and
14 processing of correspondence for mailing. Under that practice, the correspondence would be
deposited with the United States Postal Service on that same day, with postage thereon fully
15 prepaid at Irvine, California, in the ordinary course of business. I am aware that on motion of the
party served, service is presumed invalid if postal cancellation date or postage meter date is more
than one day after date of deposit for mailing in affidavit.

16 (BY OVERNIGHT DELIVERY) I deposited in a box or other facility regularly maintained
17 by Overnight Express, an express service carrier, or delivered to a courier or driver authorized by
said express service carrier to receive documents, a true copy of the foregoing document(s) in a
18 sealed envelope or package designated by the express service carrier, addressed as set forth above,
with fees for overnight delivery paid or provided for.

19 Executed on March 11, 2013, at Irvine, California.

20 I declare under penalty of perjury under the laws of the State of California that the
21 foregoing is true and correct.

22 Linda Yarvis
23 (Type or print name)


24 
(Signature)

EXHIBIT A

EXHIBIT A

Phelan Pinon Hills Community Service District
 MONTH: JANUARY
 YEAR: 2011
 SITE: W-14

Well Log

Last months Flow read: 549.2816

Hour read: 14:19.11

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Edison	Oil	PSI	Comments
1	13016	10:45	550.7696	.8874	14755.75	19.64	753	37711	✓	154	
2	13016	11:30	551.7789	1.0107	14811.15	22.4	752	39965	Filled	153	
3	13016	8:30	552.1919 mg	.7119	14827.09	15.94	744	40601	Filled	144	
4	13016	8:10	553.3467 mg	.8540	14846.17	19.08	747	40851	Filled	155	
5	13016	9:45	554.4811 mg	1.1344	14871.78	25.91	738	40113	Filled	145	
6	13016	11:00	555.6237 mg	1.1426	14896.93	35.15	757	40175	Filled	170	
7	LEA	8:45	556.5142 mg	.8905	14916.82	19.89	746	40222	Filled	157	
8	EPA	8:09	557.4372 mg	.9223	14937.96	26.64	745	40272	Filled	160	
9	EPA	9:10	558.3107 mg	.8735	14957.28	19.82	735	40320	Filled	165	
10	13016	9:20	559.2599	.9211	14979.25	21.95	751	40374	Filled	150	
11	13016	8:40	560.2200 mg	.9202	14999.57	26.34	754	40323	Filled	150	
12	13016	9:00	561.1813 mg	.9613	15020.95	21.33	749	40475	Filled	150	
13	EPA	7:57	562.0787 mg	.8974	15040.93	19.98	749	40524	Filled	146	
14	13016	10:00	563.0620 mg	.9233	15062.87	21.24	747	40577	Filled	165	
15	13016	11:45	564.9478 mg	.8856	15082.45	19.78	746	40625	Filled	154	
16	13016	9:30	565.6441	.7463	15099.70	16.75	742	40666	Filled	170	
17	13016	9:45	565.5474	.8533	15118.52	16.02	743	40713	Filled	170	
18	LEA	7:30	566.3612 mg	.8138	15136.73	18.23	744	40757	Filled	160	
19	13016	8:00	567.3059 mg	.9427	15157.69	20.96	730	40806	Filled	155	
20	LEA	8:05	568.1777 mg	.8738	15177.17	19.48	748	40855	Filled	163	
21	13016	8:45	569.0521 mg	.8744	15196.62	19.45	749	40903	Filled	160	
22	EPA	9:11	569.9340 mg	.8819	15216.32	19.70	746	40950	Filled	150	
23	LEA	7:45	570.7619 mg	.8279	15234.96	18.64	740	40995	Filled	155	
24	13016	8:30	571.7219 mg	.9600	15254.52	21.36	749	41047	Filled	160	
25	13016	8:10	572.6612 mg	.9393	15277.24	20.72	748	41094	Filled	160	
26	13016	9:00	573.6676 mg	1.0044	15299.47	22.23	755	41152	Filled	155	
27	13016	8:25	574.6032 mg	.8354	15326.35	18.88	738	41198	Filled	156	
28	13016	5:15	575.6034 mg	.8602	15329.76	11.51	730	41246	Filled	149	
29	13016	11:00	576.6465 mg	1.0921	15352.77	23.01	753	41282	Filled	150	
30	13016	9:02	576.8293 mg	.9828	15370.40	17.63	740	41324	Filled	160	
31	13016	8:35	577.6173 mg	.8680	15385.13	19.28	746	41371	Filled	146	

Comments:

MONTH: FEBRUARY
 YEAR: 2011
 SITE: W-14

Phelan Pinon Hills Community Service District

Well Log

Last months Flow read: 577.4473

Hour read: 15889.73

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Edison	Oil	PSI	Comments
1	LEA	7:25	578.5704 mg	.8731	15409.20	19.42	749	41419	Filled	162	
2	RS	7:35	579.4481 mg	.8777	15428.83	19.43	745	41446	Filled	166	
3	RS	9:00	580.4557 mg	1.0676	15491.18	22.55	751	41520	Filled	158	
4	LEA	8:10	581.2720 mg	.8163	15469.36	18.18	748	41565	Filled	158	
5	RS	9:30	582.2030 mg	.941	15491.30	21.94	752	41608	Filled	160	
6	TC	9:25	583.2135 mg	.9505	15512.57	21.27	744	41670	Filled	151	
7	RS	8:45	584.0667 mg	.8532	15531.87	19.3	757	41716	Filled	162	
8	RS	9:15	585.0285 mg	.9608	15553.18	21.31	752	41761	Filled	155	
9	RS	10:45	585.9487 mg	.9706	15574.72	21.54	751	41820	Filled	155	Adjust sleep
10	RS	8:10	586.7661 mg	.7674	15591.88	17.16	745	41872	Filled	150	
11	RS	9:00	587.6913 mg	.7252	15612.52	20.64	747	41912	Filled	150	
12	RS	1:10	588.7553 mg	1.0642	15634.21	23.64	749	41970	Filled	171	
13	RS	11:50	589.6500 mg	.8745	15656.52	20.11	741	42019	Filled	166	
14	RS	5:00	590.4220 mg	.7772	15678.86	17.54	739	42061	Filled	150	
15	RS	1:15	591.5513 mg	1.1241	15697.04	25.18	744	42122	Filled	162	
16	RS	10:00	592.3044 mg	.7531	15715.40	18.89	740	42147	Filled	190	
17	RS	8:45	593.2091 mg	.9307	15735.77	19.97	752	42211	Filled	160	
18	RS	9:45	594.2491 mg	1.071	15756.78	25.23	753	42267	Filled	180	
19	LEA	9:50	595.0993 mg	.8532	15777.75	18.85	754	42313	Filled	160	
20	EPA	12:44	596.0197 mg	.9204	15798.17	26.44	750	42363	Filled	148	
21	EPA	6:53	596.8258 mg	.8661	15815.80	17.61	743	42406	Filled	157	
22	RS	9:00	597.7441 mg	.9183	15825.32	20.12	761	42455	Filled	150	
23	RS	9:00	598.4627 mg	.7184	15852.21	16.29	735	42493	Filled	156	
24	RS	7:45	599.3534 mg	.8907	15871.79	19.58	758	42541	Filled	151	
25	RS	10:00	600.2822 mg	.9288	15892.19	20.40	759	42591	Filled	150	
26	CC	11:59	601.3016 mg	1.0194	15914.68	22.49	755	42646	"	158	
27	CC	8:25	602.0792 mg	.7676	15930.25	15.67	753	42684	"	155	
28	RS	9:00	602.9038 mg	.9416	15952.31	21.94	747	42737	Filled	190	
29											
30											
31											

Comments:

MONTH: MARCH
YEAR: 2011
SITE: W-14

Phelan Pinon Hills Community Service District

Well Log

Last months Flow read: 602.9938 mg
Hour read: 15:45:23

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Run	gpm	Edison	Oil	PSI	Comments
1	05	8:00	603.9566 mg	96.28	15973.66	21.35	752	42789	Filled	153	
2	05	9:00	604.8962 mg	93.76	15774.47	20.81	753	42861	Filled	150	
3	05	9:15	605.8903 mg	99.42	16086.22	21.75	762	42893	Filled	155	
4	EPA	8:00	606.7768 mg	88.64	16035.72	19.5	758	42940	Filled	149	
5	TS	11:00	607.7376 mg	96.88	16075.54	21.61	741	42942	Filled	160	
6	TC	9:40	608.5533 mg	81.57	16075.54	18.21	746	43036	Filled	153	
7	05	7:00	609.4393	82.66	16095.13	19.14	752	43084	Filled	150	
8	05	8:45	610.3610	92.17	16115.65	20.47	750	43133	Filled	150	Adjust dip
9	05	8:50	611.2270 mg	86.60	16134.99	19.23	747	43180	Filled	150	
10	05	8:45	612.1406 mg	91.34	16155.42	20.44	745	43230	Filled	151	
11	05	9:30	613.1144 mg	102.38	16179.37	22.95	744	43286	Filled	155	
12	05	2:25	614.2682 mg	110.38	16202.92	24.55	749	43345	Filled	174	
13	05	11:15	615.0530	74.46	16220.18	17.26	754	43388	Pieces	175	
14	05	10:00	615.8031	8.101	16238.67	18.49	730	43432	Filled	150	
15	05	10:30	616.7875	91.82	16251.34	20.67	746	43483	Filled	155	
16	05	9:30	617.000	91.87	16279.75	20.39	751	43532	Filled	150	
17	TC	7:40	618.4812	78.12	16297.60	17.87	728	43575	Filled	148	
18	TS	8:15	619.4573 mg	97.01	16319.39	21.79	742	43628	Filled	155	
19	LEA	10:15	620.4630 mg	101.17	16341.97	22.58	747	43682	Filled	160	
20	EPA	10:44	621.4982 mg	103.52	16369.86	22.89	754	43738	Filled	149	
21	05	8:25	621.9715 mg	47.33	16375.75	10.99	724	43761	Filled	150	
22	05	8:25	622.8145 mg	84.30	16394.82	19.07	737	43811	Filled	152	Ads oil drop
23	05	9:30	623.4500 mg	101.15	16409.35	15.03	711	43846	Filled	171	
24	05	8:45	624.2180 mg	76.26	16426.79	16.94	750	43887	Filled	150	
25	05	9:30	625.0374 mg	91.94	16445.09	19.3	746	43932	Filled	163	
26	CL	8:33	625.8966 mg	85.92	16463.66	19.37	759	43978	Filled	140	
27	TC	11:21	626.7790 mg	88.24	16483.83	19.87	740	44027	Filled	158	
28	05	7:00	627.5527 mg	77.37	16501.00	17.23	748	44069	Filled	155	
29	05	9:00	628.3846 mg	87.19	16519.62	18.52	747	44114	Filled	157	
30	05	9:00	629.3375 mg	95.29	16540.59	20.17	757	44165	Filled	146	
31	05	9:15	630.1858 mg	84.83	16559.14	19.07	741	44211	Filled	148	

Comr: ts

Phelan Pinon Hills Community Service District

MONTH: APRIL
YEAR: 2011
SITE: W-14

Well Log

Last months Flow read: 630.1858 mg

Hour read: 16557.46

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Edison	Oil	PSI	Comments
1	53	9:05	631.1179 mg	837	16580.43	30.17	741	44262	✓	160	
2	57	6:35	631.8898 mg	7719	16598.48	17.85	720	44304	Filled	150	
3	76	10:34	632.9736 mg	1,0338	16621.76	23.28	740	44361	Filled	150	
4	63	9:00	633.8252 mg	19016	16642.05	20.29	711	44410	Filled	150	
5	65	8:30	634.6872 mg	8570	16661.37	14.52	737	44456	Filled	150	
6	65	8:40	635.5583 mg	876100	16681.71	20.34	718	44505	Filled	147	
7	65	8:30	636.5120 mg	953700	16702.94	21.28	747	44558	Filled	146	
8	65	9:15	637.4986 mg	954600	16724.98	21.77	748	44610	Filled	150	
9	62	12:16	638.5191 mg	1,0205	16747.65	22.67	750	44665	Filled	172	
10	61	10:59	639.5058 mg	8647	16767.68	19.13	741	44712	Filled	170	
11	65	8:10	640.1471 mg	8133	16785.86	13.58	730	44757	Filled	149	
12	LEA	8:13	641.2105 mg	1,0134	16808.35	22.69	744	44812	Filled	162	
13	65	9:06	642.2410 mg	1,0305	16831.44	23.09	744	44867	Filled	185	
14	65	9:30	643.2194 mg	1,1784	16853.42	21.98	742	44920	Filled	163	
15	65	9:20	644.0792 mg	1,1578	16873.11	19.62	730	44968	Filled	145	
16	EPA	9:55	644.9959 mg	9162	16893.92	20.88	731	45018	Filled	170	
17	LEA	8:55	645.9424 mg	9470	16915.61	21.59	731	45070	Filled	160	
18	65	9:10	646.9196 mg	9472	16937.76	22.19	734	45123	Filled	150	
19	65	1:40	647.8683 mg	948700	16959.20	21.5	735	45175	Filled	158	
20	65	7:45	648.8739 mg	1,0056	16982.09	22.37	732	45230	Filled	150	
21	65	10:50	650.0743 mg	1,2079	17007.46	27.27	732	45295	Filled	160	
22	65	9:00	650.1716 mg	9,02800	17029.57	26.11	748	45374	Filled	149	
23	60	10:30	652.0370 mg	1,8582	17053.73	24.16		45402	Filled	160	
24	62	10:55	653.0210 mg	19832	17076.11	22.38	732	45456	Filled	160	
25	65	3:00	654.2048 mg	1,1858	17102.91	26.8	732	45520	Filled	190	
26	65	2:00	655.2740 mg	1,0075	17124.82	27.91	744	45578	Filled	155	
27	65	9:00	655.9915 mg	1,1172	17143.20	16.28	730	45671	Filled	175	
28	65	8:30	656.9889 mg	9974	17164.72	23.02	722	45673	Filled	149	
29	EPA	8:12	658.0004 mg	1,0115	17189.46	23.24	725	45727	Filled	156	
30	75	9:30	659.0480 mg	1,0470	17213.35	23.89	731	45785	Filled	145	
31											

Comments:

Phelan Pinon Hills Community Service District

MONTH: MAY
YEAR: 2011
SITE: W-14

Well Log

Hour read: 17213.35

Last months Flow read: 659.0480 mg

Hour read: 17213.35

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Edison	Oil	PSI	Comments
1	75	9:50	600.1285 mg	1.0805	17238.10	24.75	727	453844	ok	175	
2	85	10:30	661.2744 mg	1.1457	17253.55	26.34	722	45708	filled	166	
3	85	10:50	663.1783 mg	1.1539	17255.54	26.37	717	45552	filled	166	
4	85	8:15	663.1274 mg	1.1541	17257.46	26.32	715	46010	filled	167	
5	85	8:15	664.1474 mg	1.1545	17258.44	26.34	710	46068	filled	165	
6	85	8:45	665.2247 mg	1.1548	17259.41	26.37	714	46128	filled	167	
7	85	11:00	666.3254 mg	1.1551	17260.38	26.38	712	46187	filled	166	
8	85	10:45	667.3524 mg	1.1554	17261.35	26.38	712	46245	filled	169	
9	85	8:30	668.2838 mg	1.1557	17262.32	26.39	724	46303	filled	190	
10	85	9:00	669.3231 mg	1.1560	17263.29	26.41	710	46361	filled	190	
11	85	8:20	670.3223 mg	1.1563	17264.26	26.42	714	46419	filled	153	
12	85	8:40	671.3661 mg	1.1566	17265.23	26.44	711	46477	filled	165	
13	85	9:00	672.4386 mg	1.1569	17266.20	26.47	719	46534	filled	165	
14	85	9:15	673.4541 mg	1.1572	17267.17	26.49	713	46584	filled	158	
15	85	9:40	674.5032 mg	1.1575	17268.14	26.51	720	46644	filled	190	
16	85	9:00	675.4762 mg	1.1578	17269.11	26.52	717	46703	filled	170	
17	85	8:10	676.3995 mg	1.1581	17270.08	26.54	711	46749	filled	168	
18	85	9:10	677.3756 mg	1.1584	17271.05	26.56	714	46805	filled	160	
19	85	9:15	678.3129 mg	1.1587	17272.02	26.57	712	46860	filled	155	
20	85	10:15	679.4665 mg	1.1590	17273.00	26.59	714	46920	filled	169	
21	85	12:10	680.5377 mg	1.1593	17274.00	26.61	713	46980	filled	196	
22	85	9:19	681.3770 mg	1.1596	17275.00	26.62	702	47027	filled	160	
23	85	9:20	682.3413 mg	1.1599	17276.00	26.63	698	47051	filled	172	
24	85	8:25	683.2594 mg	1.1602	17277.00	26.64	713	47132	filled	172	
25	85	8:40	684.2328 mg	1.1605	17278.00	26.65	696	47187	filled	160	
26	85	9:20	685.2687 mg	1.1608	17279.00	26.66	703	47244	filled	180	
27	85	10:10	686.3122 mg	1.1611	17280.00	26.67	700	47305	filled	170	
28	85	10:20	687.2951 mg	1.1614	17281.00	26.68	696	47361	filled	170	
29	85	9:30	688.2435 mg	1.1617	17282.00	26.69	692	47415	filled	175	
30	85	8:04	689.1504 mg	1.1620	17283.00	26.70	698	47466	filled	150	
31	85	9:10	690.1480 mg	1.1623	17284.00	26.71	685	47525	filled	160	

Comments:

MONTH: JUNE
 YEAR: 2011
 SITE: W-14

Phelan Pinon Hills Community Service District

Well Log

Last months Flow read: Hour read:

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Edison	Oil	PSI	Comments
1	8:45	LEA	691.1489 mg	.9809	17967.77	23.48	696	47580	Filled	177	
2	8:25	LEA	692.1456 mg	.9967	17991.48	23.71	701	47636	Filled	175	
3	8:45	BS	693.1652 mg	1.0196	18015.82	24.34	698	47694	Filled	172	
4	BS	10:15	694.2350 mg	1.0498	18041.24	25.44	701	47754	Filled	174	
5	BS	12:00	695.3885 mg	1.1535	18067.76	25.94	741	47816	Filled	151	
6	LEA	8:45	696.2926 mg	.9041	18087.77	20.57	733	47865	Filled	210	
7	LEA	9:00	697.3107 mg	1.0181	18112.07	24.3	698	47922	Filled	190	
8	LEA	8:35	698.3039 mg	.9932	18135.64	23.57	702	47978	Filled	205	
9	LEA	8:10	699.1476 mg	.8437	18155.97	20.33	691	48026	Filled	162	
10	LEA	8:30	700.0203 mg	.8727	18176.14	20.77	700	48075	Filled	165	
11	LEA	10:10	701.1076 mg	1.0873	18202.38	25.64	707	48136	Filled	160	
12	EPA	9:03	702.0807 mg	1.9731	18228.58	2.3	705	48190	Filled	174	
13	LEA	8:10	703.0541 mg	.9724	18248.18	22.8	712	48245	Filled	175	
14	LEA	8:10	704.0668 mg	1.0127	18272.16	23.98	704	48301	Filled	170	Flash of 30 PSI
15	LEA	8:25	705.0856 mg	1.0128	18296.14	23.98	708	48358	Filled	162	Low Wash
16	LEA	7:50	706.0742 mg	1.9886	18319.48	23.34	706	48414	Filled	170	
17	BS	8:15	707.1023 mg	1.0281	18343.92	24.44	701	48472	Filled	171	
18	CC	9:10	708.1641 mg	1.0618	18368.97	25.05	706	48531	Filled	155	
19	CC	9:51	709.2113 mg	1.0472	18393.54	24.57	710	48589	Filled	155	
20	LEA	10:08	710.1840 mg	.9727	18416.28	22.84	710	48644	Filled	175	
21	LEA	8:00	711.1077 mg	.9237	18438.28	21.9	703	48695	Filled	160	
22	LEA	8:10	712.1151 mg	1.0074	18462.39	24.11	696	48752	Filled	185	
23	LEA	8:40	713.1441 mg	1.029	18486.91	24.52	699	48810	Filled	172	
24	LEA	8:40	714.1591 mg	1.015	18510.91	24.0	705	48867	Filled	177	
25	BS	8:30	715.1667 mg	1.0211	18534.55	23.97	697	48924	Filled	175	
26	LEA	8:37	716.1576 mg	.9974	18558.86	23.92	693	48980	Filled	179	
27	LEA	8:10	717.1386 mg	.9810	18582.39	23.53	695	49035	Filled	194	
28	LEA	7:47	718.1277 mg	.9891	18606.02	23.63	698	49091	Filled	180	
29	LEA	8:45	719.1676 mg	1.0399	18630.00	23.98	723	49150	Filled	173	
30	LEA	8:40	720.1628 mg	.9952	18654.91	24.91	616	49207	Filled	175	
31											

Comments:

MONTH: July
 YEAR: 2011
 SITE: W-14

Phelan Pinon Hills Community Service District

Well Log

Last months Flow read: 720.1628 mg

Hour read: 18654.91

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Edison	Oil	PSI	Comments
1	RS	9:30	721.2032	1.04100	18677.73	24.84	69.3	40265	Filled	162	
2	RS	10:00	722.2488	1.08470	18700.01	25.20	69.4	40304	Filled	160	
3	HA	9:25	723.2041	.9354	18717.55	22.41	69.5	49379	Filled	160	
4	HA	9:57	724.2246	1.0205	18732.00	24.45	69.5	49456	Filled	163	FLUSHED w/ AC WASH
5	LEA	8:30	725.1764 mg	.9518	18774.72	22.72	69.8	49490	Filled	184	
6	LEA	8:25	726.1713 mg	.9949	18798.64	23.92	69.3	49547	Filled	166	
7	LEA	8:35	727.1917 mg	1.0204	18822.81	24.17	70.4	49604	Filled	184	
8	LEA	8:20	728.1726 mg	.9809	18846.58	23.97	68.8	49660	Filled	168	
9	LEA	9:10	729.2050 mg	1.0824	18871.43	24.85	69.3	49719	Filled	182	
10	EPA	7:49	730.1942 mg	.9392	18894.06	22.63	69.2	49772	Filled	164	Adj Drapper
11	LEA	8:50	731.1949 mg	1.0507	18919.09	25.03	70.0	49831	Filled	162	
12	LEA	7:57	732.1612 mg	.9663	18942.20	23.11	69.7	49886	Filled	164	
13	EPA	7:57	733.1680 mg	1.0068	18966.25	24.07	69.8	49943	Filled	176	
14	LEA	8:00	734.1370 mg	.969	18989.48	23.23	69.5	49998	Filled	160	
15	RS	8:40	735.1520 mg	1.0150	19013.75	23.87	69.7	50055	Filled	179	
16	LC	9:12	736.1703 mg	1.0183	19038.25	24.5	69.3	50113	Filled	190	
17	LC	9:02	737.1813 mg	1.0115	19062.15	23.9	70.5	50170	Filled	179	
18	LEA	9:20	738.2157 mg	1.0389	19086.25	24.2	71.2	50228	Filled	157	
19	LEA	8:10	739.1833 mg	.9626	19109.25	22.9	70.4	50282	Filled	178	Flushed blow off test wash
20	LEA	8:33	740.1822 mg	.9989	19132.75	23.5	70.0	50338	Filled	155	
21	LEA	9:32	741.2398 mg	1.0576	19157.73	24.98	70.6	50397	Filled	173	
22	LEA	8:42	742.2165 mg	.9767	19180.89	23.16	70.3	50452	Filled	155	
23	RS	10:10	743.2466 mg	1.0001	19204.50	23.67	70.4	50508	Filled	145	
24	TC	12:14	744.2484 mg	1.1238	19231.03	26.47	70.7	50571	Filled	175	
25	LEA	8:10	745.1263 mg	.7859	19250.06	19.03	68.8	50616	Filled	169	
26	LEA	8:10	746.1345 mg	1.0082	19274.06	24.00	70.0	50673	Filled	157	Flushed blow off test wash
27	LEA	8:30	747.1502 mg	1.0157	19298.38	24.32	69.6	50730	Filled	175	
28	RS	11:30	748.2113 mg	1.1110	19325.33	25.05	68.7	50794	Filled	196	
29	RS	8:50	749.1469 mg	.8656	19346.67	21.34	69.2	50844	Filled	115	
30		12:30	750.2404 mg	1.1450	19374.30	27.03	69.0	50907	Filled	175	
31			751.1689	.8785	19395.80	21.56	67.9	50959	Filling	145	

Comr ts:

MONTH: August
 YEAR: 2011
 SITE: W-14

Phelan Pinon Hills Community Service District

Well Log

Last months Flow read: 751.1689 mg

Hour read: 19395.86

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Edison	Oil	PSI	Comments
1	LEA	8:38	752.0547 mg	8858	19417.03	21.17	697	51010	Filled	160	
2	LEA	8:20	752.9787 mg	9240	19489.26	22.23	693	51062	Filled	187	
3	LEA	10:15	754.0553 mg	1.0766	19465.19	25.93	692	51123	Filled	187	
4	LEA	8:08	754.9640 mg	9087	19487.07	21.88	692	51175	Filled	198	
5	LEA	8:40	755.9814 mg	1.0174	19511.58	24.51	690	51223	Filled	165	
6	EPA	7:57	756.9470 mg	9656	19534.99	23.41	687	51288	Filled	162	
7	LEA	9:25	758.0166 mg	1.0696	19560.86	25.87	689	51349	Filled	187	FLUSHED 80 @ WASH 10 min
8	LEA	8:13	758.9431 mg	9265	19583.15	22.29	693	51402	Filled	162	
9	LEA	8:18	759.9435 mg	1.0004	19607.22	24.07	693	51459	Filled	167	
10	CS	8:30	760.9528 mg	1.0113	19631.77	24.55	685	51517	Filled	180	
11	LEA	8:25	761.9824 mg	9796	19655.35	26.58	692	51572	Filled	188	
12	CS	10:45	763.0649 mg	1.1525	19683.30	28.13	692	51637	Filled	167	
13	CS	9:14	763.9413 mg	9864	19709.15	28.67	691	51687	Filled	210	
14	EPA	8:33	764.9068 mg	9655	19727.52	23.37	689	51742	Filled	180	
15	LEA	8:50	765.9132 mg	1.0264	19751.79	24.27	691	51800	Filled	172	
16	LEA	8:25	766.8913 mg	9781	19775.10	22.31	699	51855	Filled	175	
17	LEA	8:05	767.8702 mg	9789	19798.75	23.65	690	51911	Filled	182	
18	LEA	9:20	768.9100 mg	1.0398	19823.99	25.34	687	51970	Filled	188	
19	LEA	8:32	769.8689 mg	9589	19847.20	22.31	689	52025	Filled	162	
20	CS	10:45	770.9443 mg	1.0754	19873.04	25.86	693	52080	Filled	200	
21	TC	11:12	771.9678 mg	1.0235	19897.81	24.75	689	52145	Filled	181	
22	EPA	8:55	772.8703 mg	9025 mg	19919.60	21.79	690	52196	Filled	169	Adj. Drifter
23	EPA	8:51	773.8614 mg	9911 mg	19943.55	23.95	689	52252	Filled	181	
24	EPA	8:08	774.8243 mg	9762 mg	19966.91	23.36	687	52307	Filled	179	
25	EPA	8:40	775.8455 mg	1.0212 mg	19991.52	24.61	692	52365	Filled	167	
26	CS	9:00	776.8545 mg	1.0110 mg	20015.97	24.45	689	52423	Filled	160	
27	CS	10:28	777.8945 mg	1.0580	20041.91	23.17	687	52483	Filled	161	
28	ALB	8:40	778.7436 mg	9691	20061.05	26.91	680	52532	Filled	152	
29	LEA	10:40	779.8202 mg	1.0766	20087.98	26.03	689	52593	Filled	188	
30	LEA	8:25	780.7262 mg	9060	20109.75	21.77	694	52644	Filled	182	3 seconds per Drift
31	LEA	7:54	781.6877 mg	9615	20133.22	23.47	683	52700	Filled	163	

Comr ts:

MONTH: September
 YEAR: 2011
 SITE: W-14

Phelan Pinon Hills Community Service District

Well Log

Last months Flow read: 781.6877 mg Hour read: 20133.22

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Run	gpm	Edison	Oil	PSI	Comments
1	LEA	8:35	782.7074 mg	1.0197	20157.91	24.69	688	52758	Filled	155	
2	LEA	8:35	783.6953 mg	.9879	20181.89	23.98	687	52814	Filled	180	
3	EPA	10:00	784.6447 mg	.9494	20204.87	22.98	689	52869	Filled	158	
4	LEA	10:30	785.6552 mg	1.0105	20229.36	24.49	688	52926	Filled	162	1 Drop per 3 seconds
5	EPA	11:04	786.5454 mg	.7907	20248.90	19.54	674	52972	Filled	168	Flushed 3/10 at 10:58
6	LEA	8:15	787.3111 mg	.8657	20269.98	21.08	684	53022	Filled	198	
7	LEA	7:18	788.2497 mg	.9386	20293.05	23.07	678	53076	Filled	188	
8	LEA	9:02	789.2021 mg	1.0524	20318.77	25.72	682	53137	Filled	185	
9	RS	8:50	790.2335 mg	.9314	20341.50	23.79	681	53190	Filled	162	
10	CC	8:50	791.2281 mg	.9426	20365.51	23.95	692	53247	Filled	198	
11	2min	9:27	792.2329 mg	1.0048	20390.21	24.7	692	53305	Filled	170	
12	LEA	8:33	793.1773 mg	.9444	20413.24	23.03	683	53359	Filled	183	
13	CC	7:54	794.1026 mg	.9253	20435.73	22.99	686	53412	Filled	198	
14	CC	7:51	794.9879 mg	.8803	20456.93	21.2	692	53462	Filled	195	
15	LEA	9:18	796.0357 mg	1.0528	20482.35	25.42	690	53522	Filled	190	
16	LEA	8:53	797.0096 mg	.9739	20505.92	23.57	689	53578	Filled	174	
17	TS	9:00	797.9887 mg	.9791	20529.42	23.50	694	53634	Filled	185	
18	TC	11:38	799.0493 mg	1.0606	20553.08	25.60	688	53694	Filled	163	
19	LEA	8:43	799.8490 mg	.7997	20574.25	19.17	695	53740	Filled	163	Flushed 8/10 at 10:58
20	LEA	8:54	800.8537 mg	1.0047	20598.45	24.2	692	53797	Filled	176	
21	CC	8:26	801.8347 mg	.9833	20622.85	23.58	695	00541	Filled	157	7 Edison meter
22	CC	8:20	802.7873 mg	.9526	20644.94	22.91	693	00595	Filled	161	Edison meter
23	RS	10:10	803.8596 mg	1.0703	20670.82	25.88	689	00156	Filled	161	Run - 113
24	RS	10:00	804.8753 mg	1.0157	20694.70	23.88	709	00213	Filled	180	Run - 105
25	AK	9:20	805.8372 mg	.9619	20717.43	25.23	690	00269	Filled	180	
26	LEA	9:00	806.7787 mg	.9415	20740.64	23.71	691	00321	Filled	190	Run - 830
27	LEA	8:05	807.7378 mg	.9591	20763.71	23.07	693	00376	Filled	183	Run - 880
28	LEA	9:10	808.7842 mg	1.0464	20788.78	25.07	696	00435	Filled	167	Flushed 8/10 at 10:58
29	LEA	8:05	809.7385 mg	.9543	20811.72	22.94	693	00489	Filled	180	Run - 930
30	LEA	9:17	810.7976 mg	1.0591	20836.90	25.18	701	00549	Filled	180	Run - 890
31											

Com' 15:

WINTH: October
 YEAR: 2011
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 810.7976 Mg

Hour read: 20836.90

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Run	gpm	Temp	Edison	Oil	PSI	Comments
1	LEA	12:17	811.9431 Mg	1.1455	20863.89	26.99	707	100°	00613	Filled	160	1 drop per 3 sec. per 2000 gpm
2	EPA	10:27	812.8701 Mg	1.927	20866.10	22.21	696	83°	00665	Filled	173	
3	LEA	8:05	813.7734 Mg	1.9033	20907.71	21.61	697	83°	00716	Filled	170	
4	LEA	8:15	814.7822 Mg	1.0088	20931.88	24.17	696	83°	00773	Filled	166	
5	LEA	8:25	815.7366 Mg	1.9544	20954.65	22.77	699	73°	00827	Filled	162	
6	LEA	8:30	816.7505 Mg	1.0139	20978.71	24.06	702	64°	00885	Filled	185	
7	OC	9:20	817.8133 Mg	1.0633	21003.71	25.00	708	63°	00944	Filled	161	
8	OC	9:33	818.7672 Mg	1.9534	21026.11	22.4	709	73°	00998	Filled	167	
9	OC	9:47	819.7531 Mg	1.9859	21049.55	23.94	701	73°	01053	Filled	167	Revised metered Air compressor
10	LEA	9:17	820.6302 Mg	1.8771	21070.63	21.08	693	85°	01103	Filled	160	
11	LEA	8:47	821.5343 Mg	1.9041	21092.09	21.46	702	82°	01154	Filled	169	
12	LEA	8:28	822.5258 Mg	1.9915	21115.77	23.68	698	85°	01210	Filled	165	
13	LEA	8:25	823.5231 Mg	1.9973	21139.72	23.95	694	86°	01267	Filled	173	Flush zones off @ WSSH
14	LEA	10:07	824.5839 Mg	1.0708	21165.43	25.71	694	88°	01328	Filled	200	
15	OC	12:37	825.6388 Mg	1.0449	21190.59	27.45	694	88°	01387	Filled	187	
16	JS	9:30	826.4886 Mg	1.8498	21210.74	20.35	695	87°	01435	Filled	175	
17	LEA	9:32	827.4602 Mg	1.9716	21233.99	23.25	694	85°	01490	Filled	173	
18	LEA	10:30	828.4825 Mg	1.0223	21258.57	24.58	693	100°	01548	Filled	185	
19	LEA	8:13	829.2943 Mg	1.9118	21280.29	21.72	700	87°	01599	Filled	166	
20	LEA	8:15	830.2972 Mg	1.9029	21301.95	21.66	695	78°	01650	Filled	180	Detained pressure from Air Compressor
21	OC	8:32	831.3123 Mg	1.0151	21326.26	24.75	698	78°	01708	Filled	160	
22	OC	9:38	832.3057 Mg	1.9934	21349.90	23.7	699	86°	01764	Filled	160	
23	OC	10:00	833.4194 Mg	1.1157	21376.61	26.77	693	93°	01827	Filled	180	
24	LEA	8:35	834.2739 Mg	1.8545	21396.88	20.21	705	91°	01875	Filled	166	
25	LEA	9:25	835.3139 Mg	1.0400	21421.72	24.84	698	83°	01934	Filled	190	
26	LEA	8:50	836.2943 Mg	1.9804	21445.13	23.41	698	87°	01989	Filled	153	
27	LEA	8:50	837.2785 Mg	1.0042	21469.16	24.03	696	86°	02046	Filled	168	
28	LEA	9:05	838.3175 Mg	1.0190	21493.35	24.19	702	87°	02103	Filled	158	
29	EPA	1:30	839.3030 Mg	1.9845	21516.95	23.5	698	83°	02159	Filled	149	
30	LEA	7:55	839.9993 Mg	1.8173	21532.42	16.57	701	82°	02198	Filled	162	
31	LEA	8:50	840.9693 Mg	1.9700	21556.50	23.08	700	89°	02253	Filled	195	

Comments: 10/29 Pans EPA 4/LSA

Month: November
 Year: 2011
 Site: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 840,969.3 mg Hour read: 21556.50

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	LEA	8:45	841,920.5 mg	9612	21579.28	22.78	703	87°	02307	Filled	160	Flushed Blow off at wash
2	LEA	9:35	842,905.8 mg	9753	21602.43	23.15	702	77°	02362	Filled	170	
3	LEA	9:10	843,808.2 mg	9824	21623.94	21.51	689	76°	02413	Filled	184	
4	LEA	9:20	844,777 mg	9919	21645.31	21.57	707	-	22141	Filled	198	
5	LEA	7:35	845,821.9 mg	10927	21671.27	23.44	711	60°	7525	Filled	154	
6	LEA	12:35	846,649.4 mg	1275	21690.54	15.29	715	62°	2371	Filled	155	
7	LEA	9:25	847,398.0 mg	7486	21708.17	17.61	708	66°	02613	Filled	162	
8	LEA	8:00	848,197 mg	7817	21726.48	18.31	712	60°	02657	Filled	199	
9	LEA	9:00	849,089.6 mg	9089	21747.73	21.25	714	70°	02707	Filled	189	Flushed Blow off at wash
10	LEA	10:00	850,019.8 mg	9302	21769.31	21.58	718	74°	02759	Filled	170	
11	LEA	10:00	850,856 mg	7852	21787.73	18.42	711	64°	2803	Filled	170	
12	LEA	7:45	851,564.3 mg	7667	21805.31	17.58	721	68°	2845	Filled	145	
13	LEA	10:32	852,501.9 mg	19356	21827.22	21.91	711	-	2897	Filled	168	
14	LEA	10:10	853,379.1 mg	8772	21847.64	20.42	716	70°	02946	Filled	150	
15	LEA	7:40	854,197.2 mg	8181	21866.11	18.47	738	68°	02991	Filled	150	Flushed Blow off at wash
16	LEA	9:18	855,224.6 mg	10374	21889.80	23.69	730	82°	03047	Filled	168	
17	LEA	9:05	856,121.9 mg	8873	21910.57	20.77	712	78°	03097	Filled	186	
18	LEA	3:00	857,208 mg	10839	21931.01	20.44	710	83°	457	Filled	156	
19	LEA	9:24	857,354.3 mg	6455	21951.12	15.71	715	85°	3194	Filled	123	
20	LEA	9:10	858,645.7 mg	7914	21969.78	16.64	706	82°	3239	Filled	149	
21	LEA	8:45	859,478 mg	8261	21989.05	19.27	714	61°	03284	Filled	150	Flushed Blow off at wash
22	LEA	8:20	860,364.9 mg	8931	22009.84	20.79	716	60°	03334	Filled	150	
23	LEA	7:50	861,224.6 mg	8597	22029.65	19.81	723	59°	03381	Filled	150	
24	LEA	9:50	862,116.1 mg	8915	22050.50	20.85	713	64°	03431	Filled	156	
25	LEA	10:25	862,926.8 mg	8107	22069.40	18.90	715	65°	03477	Filled	195	
26	LEA	9:31	863,829.7 mg	9029	22090.17	20.77	724	68°	03524	Filled	155	
27	LEA	9:27	864,723.9 mg	8942	22109.94	20.77	718	70°	03576	Filled	169	
28	LEA	8:30	865,626.0 mg	9021	22131.72	20.78	724	67°	03626	Filled	178	
29	LEA	9:10	866,522.5 mg	8965	22152.77	21.05	710	72°	03676	Filled	165	
30	LEA	9:25	867,417 mg	8892	22173.58	20.81	712	72°	03725	Filled	170	
31												

Comments: Replaced water leak in Chlorinator. Re 1/2
 1/26/11

M TH: December
 YEAR: 2011
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 867.4117 mg

Hour read: 22:13.58

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Run	gpm	Temp	Edison	Oil	PSI	Comments
1	LEA	8:45	868.3424 mg	.9307	22194.97	21.38	725	80°	03776	Filled	156	
2	CC	8:23	869.0746 mg	.7516	22212.93	17.46	717	71°	3918	"	160	
3	RS	8:45	870.0366 mg	.9428	22230.19	21.76	722	70°	3570	Filled	150	
4	RS	9:45	870.7297 mg	.8731	22259.37	22.13	711	71°	3920	Filled	150	
5	RS	10:00	871.7917 mg	.8618	22275.37	22.42	704	60°	3768	Filled	154	
6	LEA	9:00	872.6522 mg	.8605	22295.45	22.13	712	64°	04016	Filled	163	
7	RS	8:35	873.5133 mg	.8511	22315.02	22.13	713	67°	4064	Filled	156	
8	LEA	8:50	874.3497 mg	.8364	22334.86	19.28	723	65°	04110	Filled	163	
9	LEA	8:40	875.2112 mg	.8615	22354.70	19.84	724	72°	04158	Filled	167	
10	JS	9:30	875.9240 mg	.7128	22371.17	16.47	731	61°	4198	Filled	155	
11	TL	11:30	876.8188 mg	.8748	22392.07	20.90	713	-	4248	Filled	156	
12	RS	10:00	877.6084 mg	.7876	22410.13	18.62	729	68°	4271	Filled	155	Flushed S.O.
13	LEA	9:10	878.2667 mg	.6583	22425.49	15.36	714	53°	04328	Filled	153	Flashed S.O.
14	RS	9:30	879.0937 mg	.8270	22444.57	19.62	722	-	4314	Filled	145	wall not reading alarm reset
15	LEA	9:25	879.8498 mg	.7561	22462.33	17.76	710	65°	04416	Filled	167	
16	RS	10:00	880.6386 mg	.7888	22480.57	18.21	721	64°	4460	Filled	150	
17	RS	9:15	881.3458 mg	.7210	22497.20	16.65	729	55°	4500	Filled	145	
18	RS	9:31	882.1788 mg	.7930	22515.70	17.9	729	61°	4543	Filled	150	
19	RS	9:30	883.0709 mg	.9221	22534.63	21.12	728	68°	4594	Filled	150	
20	LEA	8:45	883.7952 mg	.7243	22553.20	16.98	711	64°	04634	Filled	195	
21	RS	10:00	884.7397 mg	.9445	22573.61	21.51	728	50°	4680	Filled	150	
22	LEA	8:15	885.4378 mg	.6981	22591.10	16.29	714	50°	04725	Filled	170	
23	LEA	11:06	886.4251 mg	.9873	22613.65	22.55	730	68°	04779	Filled	156	
24	LEA	9:30	887.1977 mg	.7726	22631.53	17.88	720	70°	04822	Filled	182	
25	LEA	9:40	888.1095 mg	.9118	22652.69	21.16	718	78°	04873	Filled	158	
26	LEA	10:10	888.8576 mg	.7481	22670.68	17.39	717	68°	04915	Filled	174	
27	LEA	8:40	889.6865 mg	.7689	22687.93	17.85	718	64°	04958	Filled	163	
28	LEA	9:15	890.5013 mg	.8748	22708.13	20.2	722	65°	05007	Filled	150	
29	LEA	9:45	891.4721 mg	.9708	22730.46	22.33	725	83°	05060	Filled	150	
30	RS	9:30	892.1957 mg	.7231	22747.35	16.59	714	12.9°	5101	Filled	170	
31	RS	8:45	893.0481 mg	.8529	22766.85	19.5	729	-	5148	Filled	160	

Comments:

JNTH: January
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District

Well Log

Hour read: 22766.55

Last months Flow read: 873.0481 mg

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	CC	9:08	893.4562 mg	6.9081	22788.81	21.36	709	71.6	5199	Colled	150	
2	CC	8:49	874.7153 mg	6.7591	22805.55	17.52	722	63.1	5241	Colled	169	
3	CS	9:10	875.5587 mg	1.8434	22805.28	11.53	730	-	5288	Filled	165	
4	CS	10:00	876.5707 mg	1.0220	22843.54	22.33	732	12.7	5342	Filled	181	
5	LEA	8:05	897.2557 mg	7.350	22864.61	17.13	715	59.0	05283	Filled	176	
6	LEA	8:50	898.1209 mg	8.652	22884.67	20.06	719	59.0	05431	Filled	169	
7	JS	9:40	898.9864 mg	8.655	22904.59	19.92	704	62	5479	Filled	185	
8	TC	12:24	899.7919 mg	1.8055	22923.45	16.86	796	-	5524	Filled	158	
9	CS	10:00	900.5335 mg	1.7416	22940.66	7.23	717	52.0	5506	Filled	186	
10	LEA	8:25	901.2148 mg	6.813	22956.48	15.8	719	58.0	05604	Filled	170	
11	CS	8:40	901.9570 mg	7.422	22973.82	17.34	713	62.0	5646	Filled	170	
12	LEA	8:30	902.8050 mg	8.480	22993.47	19.65	719	67.0	05693	Filled	150	
13	CS	10:50	903.6487 mg	8.5437	23010.16	19.64	714	-	5740	Filled	160	
14	CS	10:30	904.4062 mg	7.5077	23031.77	13.54	725	-	5785	Filled	168	
15	CS	11:00	905.3314 mg	8.8782	23050.81	16.45	745	67	5831	Filled	160	
16	CS	9:40	905.9428 mg	7.6084	23066.59	14.28	705	70	5848	Filled	160	
17	CS	9:00	906.7878 mg	8.450	23080.23	19.65	717	110	5916	Filled	160	
18	CS	11:00	907.5106 mg	7.7278	23103.17	16.89	710	-	5954	Filled	160	Flushed Blow off at wash
19	LEA	10:30	908.1433 mg	6.327	23117.83	14.71	717	58.0	05992	Filled	158	
20	LEA	8:45	908.9076 mg	7.643	23135.79	17.96	709	59.0	06035	Filled	188	
21	CS	8:56	909.6604 mg	7.9528	23157.53	21.74	730	59.0	06087	Filled	150	
22	LEA	9:20	910.6093 mg	7.7489	23175.12	17.59	710	58.0	06130	Filled	176	
23	CS	9:00	911.3794 mg	7.6901	23193.17	14.8	697	113.0	6114	Filled	150	
24	LEA	8:05	912.1615 mg	8.621	23211.53	19.91	722	56.0	06217	Filled	150	
25	CS	10:00	913.0639 mg	9.024	23232.21	22.68	727	112.0	6247	Filled	157	
26	LEA	8:30	913.8854 mg	8.215	23250.66	18.45	742	58.0	06311	Filled	157	
27	CS	9:00	914.6114 mg	7.760	23267.37	14.91	715	52.0	6352	Filled	177	
28	CS	8:54	915.4019 mg	7.905	23285.85	18.26	722	71.2	6396	Filled	151	
29	TC	10:24	916.2269 mg	8.290	23305.21	19.38	709	-	6443	Filled	160	After 2 pm 11/14/12
30	CS	1:40	917.0884 mg	8.015	23325.32	20.11	714	143.0	6491	Filled	157	
31	LEA	8:55	917.8512 mg	7.628	23343.15	17.83	713	72.0	06534	Filled	183	

Comments:

PH: February
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 917.8512 mg

Hour read: 23343.15

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	85	10:00	918.7418 mg	.8906 mg	23353.98	23.84	712	-	1584	Filled	179	
2	LEA	8:10	919.4518 mg	.7100 mg	23380.58	16.59	713	52°	06624	Filled	189	
3	LEA	8:40	920.3715 mg	.9197 mg	23401.94	21.36	718	63°	06675	Filled	163	
4	JS	11:30	921.1817 mg	.8107 mg	23421.04	14.1	707	62°	06721	Filled	170	
5	TC	11:12	922.0285 mg	.8468 mg	23440.69	19.65	718	-	06769	Filled	165	
6	LEA	8:30	922.7023 mg	.6738 mg	23456.74	16.05	700	67°	06807	Filled	156	
7	LEA	8:10	923.3867 mg	.6844 mg	23473.12	16.38	696	56°	06846	Filled	195	
8	RS	9:30	924.3723 mg	.9934 mg	23484.97	21.3	715	127°	06877	Filled	190	
9	CC	8:14	925.1350 mg	.8127 mg	23513.83	18.51	716	65°	06914	Filled	167	
10	CC	8:10	926.0197 mg	.8847 mg	23524.34	20.51	719	71°	06994	Filled	195	
11	RS	11:20	926.7205 mg	.9003 mg	23535.47	21.05	712	110°	7044	Filled	160	
12	EA	11:00	927.16413 mg	.7468 mg	23572.05	17.2	711	80°	7026	Filled	180	
13	LEA	8:10	928.3723 mg	.7050 mg	23589.58	16.65	706	61°	07126	Filled	158	
14	LEA	8:45	929.1036 mg	.7313 mg	23607.29	17.71	688	48°	07169	Filled	180	Flushed Blowoff/Wash
15	LEA	8:25	929.9460 mg	.8424 mg	23626.31	19.02	738	52°	07215	Filled	180	
16	RS	11:00	930.4473 mg	.7173 mg	23643.37	17.00	700	-	7254	Filled	160	
17	LEA	9:10	931.3963 mg	.7330 mg	23660.11	16.72	731	72°	07296	Filled	162	
18	LEA	8:50	932.2956 mg	.8923 mg	23680.25	20.14	744	70°	07345	Filled	152	
19	LEA	9:00	933.0363 mg	.7407 mg	23697.33	17.08	723	08°	07387	Filled	145	
20	EPA	11:02	933.9786 mg	.9423 mg	23713.72	21.29	734	84°	07433	Filled	162	
21	LEA	8:30	934.7620 mg	.7834 mg	23736.59	17.87	731	61°	07481	Filled	190	
22	JS	1:00	935.8826 mg	1.1200 mg	23761.99	25.4	735	74°	7540	Filled	200	
23	RS	11:30	936.6842 mg	.8016 mg	23780.29	18.3	730	03°	7587	Filled	195	
24	RS	10:50	937.4203 mg	.9411 mg	23802.20	21.91	720	138°	7639	Filled	175	
25	CC	9:32	938.4975 mg	.8672 mg	23820.30	20.10	718	81	7687	Filled	183	
26	CC	9:16	939.4530 mg	.9555 mg	23849.49	22.15	696	80	7741	Filled	151	
27	LEA	9:40	940.5074 mg	1.0614 mg	23868.94	24.45	719	81°	07799	Filled	150	
28	CC	8:30	941.3766 mg	.8092 mg	23883.87	19.43	727	54°	7847	Filled	190	
29	LEA	8:27	942.1091 mg	.7325 mg	23905.99	17.12	713	52°	07888	Filled	150	
30												
31												

Comments:

10NTH: Mts. 11
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 942.1091 mg
 Hour read: 23905.99

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Run	gpm	Temp	Edison	Oil	PSI	Comments
1	LE	8:08	943.0555	9464	23927.54	21.55	732	58.9	7940	Filled	155	
2	LEA	9:00	944.0224 mg	9669	23949.71	22.17	710	57	87993	Filled	188	
3	DS	10:30	945.0210 mg	9986	23972.54	22.93	726	62	8048	Filled	172	
4	LC	11:06	946.0359 mg	10149	23996.02	23.38	723	62	8104	Filled	190	
5	LEA	8:30	946.8420 mg	8061	24014.86	18.84	713	62	08149	Filled	200	
6	LC	8:45	947.7535 mg	9116	24035.98	21.12	696	74.5	8199	Filled	160	
7	LC	9:12	948.7287 mg	9762	24058.37	22.39	726	57.8	8253	Filled	156	
8	LC	10:01	949.6326 mg	9537	24080.61	22.34	715	63.5	8306	Filled	187	
9	LC	8:53	950.5557 mg	8731	24100.96	20.35	715	72.4	8354	Filled	158	
10	DS	10:00	951.4372 mg	10754	24176.66	25.1	714	-	8414	Filled	166	
11	DS	11:31	952.4607 mg	8295	24145.53	19.17	710	74.5	8460	Filled	160	
12	LC	10:19	953.3596 mg	8984	24166.41	20.88	718	74	8510	Filled	200	
13	LC	8:01	954.1730 mg	8154	24185.52	19.11	709	64.1	8556	Filled	150	
14	LC	9:10	955.1367 mg	9637	24207.76	22.24	722	63.8	8609	Filled	157	
15	DS	9:00	956.0332 mg	8435	24223.66	20.84	717	126	8658	Filled	154	
16	DS	9:10	956.9242 mg	901	24234.45	20.35	720	122	8705	Filled	150	
17	DS	11:08	957.9864 mg	10572	24273.04	24.21	724	117	8764	Filled	160	
18	DS	10:25	958.8236 mg	8372	24292.72	19.06	732	115	8811	Filled	161	
19	DS	8:30	959.7354 mg	8116	24311.94	18.22	727	75	8860	Filled	160	
20	LEA	8:50	960.6000 mg	9646	24333.29	21.95	732	65	08909	Filled	164	
21	LEA	8:30	961.4649 mg	8649	24353.10	19.71	731	65	08956	Filled	155	
22	LEA	8:30	962.3817 mg	9168	24374.32	21.22	720	67	09007	Filled	165	
23	LC	8:45	963.2746 mg	8929	24394.44	20	744	71	9056	Filled	168	
24	DS	9:50	964.2099 mg	8357	24417.69	22.1	720	-	9109	Filled	165	
25	DS	10:30	965.2066 mg	8980	24433.71	22.62	720	-	9163	Filled	149	
26	LEA	9:00	965.9543 mg	7477	24456.88	17.17	726	55	09204	Filled	154	Flushed 1800 off wash
27	LEA	9:20	966.7592 mg	8049	24475.89	18.51	725	70	09249	Filled	150	
28	LEA	8:35	967.5589 mg	7947	24492.45	18.06	733	70	09292	Filled	172	
29	LEA	8:25	968.4375 mg	8836	24513.76	20.31	725	68	09341	Filled	156	
30	LEA	8:50	969.3964 mg	9589	24535.84	22.08	724	70	09393	Filled	166	
31	DS	10:15	970.2755 mg	8791	24556.46	20.56	712	62	9442	Filled	190	

Comments: 10/1/12

MONTH: April
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District

Well Log

Initial Flow read: 970.2755 mg

Hour read: 24556.40

Well	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Run	gpm	Temp	Edison	Oil	PSI	Comments
1	53	10:30	971.058 mg	970.2755 mg	24555.55	19.15	722	64	09483	Filled	185	
2	LEA	8:40	971.9796 mg	.8138 mg	24595.87	20.32	717	62	09537	Filled	152	
3	LEA	8:30	972.9201 mg	940.5 mg	24617.63	21.76	720	72	09589	Filled	153	Subsiding Chlorinate Rm
4	LEA	8:10	973.8402 mg	.9201 mg	24639.25	21.62	709	63	09640	Filled	155	
5	LEA	8:05	974.8285 mg	.9885 mg	24662.22	22.97	717	57	09695	Filled	152	
6	CL	8:17	975.7696 mg	941.1 mg	24684.23	22.01	713	52.1	9747	Filled	149	
7	CL	8:09	976.6793 mg	907.7 mg	24705.38	21.15	717	68	9747	Filled	156	
8	LEA	10:00	977.6411 mg	948.4 mg	24727.83	22.15	714	75	9851	Filled	176	
9	LEA	9:30	978.6580 mg	1.0169 mg	24751.51	23.68	716	80	09908	Filled	158	Flushed Blow off
10	LEA	8:30	979.6291 mg	.9711 mg	24774.07	22.56	717	74	09961	Filled	156	
11	LEA	8:25	980.6629 mg	1.0338 mg	24797.98	23.91	721	61	10018	Filled	163	
12	LEA	8:25	981.5896 mg	.9267 mg	24819.20	21.32	724	62	10069	Filled	150	
13	LEA	8:30	982.5240 mg	.9344 mg	24840.91	21.61	721	65	10120	Filled	155	
14	LEA	10:55	983.5031 mg	.9791 mg	24863.69	22.78	716	54	10175	Filled	163	
15	CL	10:58	984.4619 mg	958.6 mg	24885.56	21.87	731	24	10227	Filled	167	
16	LEA	8:55	985.2624 mg	.8005 mg	24904.15	18.59	718	20	10271	Filled	175	
17	LEA	9:55	986.2151 mg	.9527 mg	24926.35	22.20	715	60	10324	Filled	162	
18	LEA	9:05	987.1380 mg	.9179 mg	24947.66	21.31	718	78	10375	Filled	181	
19	CL	8:05	987.9854 mg	.8524 mg	24967.97	20.82	699	82.4	10423	Filled	158	
20	ND	9:27	988.9443 mg	1.0089 mg	24991.53	23.55	714	84	10474	Filled	160	
21	CL	9:25	990.0211 mg	1.0268 mg	25015.62	24.09	710	92	10536	Filled	160	
22	CL	8:31	990.9967 mg	.9756 mg	25038.73	23.11	703	—	10591	Filled	150	703 GPM
23	AM	9:30	992.0444 mg	1.0477 mg	25063.70	24.97	699	88	10650	Filled	185	
24	AM	8:10	993.0173 mg	.9729 mg	25086.50	22.8	711	92	10704	Filled	155	
25	ND	8:50	994.0667 mg	1.0434 mg	25111.10	24.6	707	82	10762	Filled	162	
26	CL	8:28	994.9580 mg	.8973 mg	25132.80	21.7	689	71.6	10812	Filled	151	
27	AM	8:54	995.0086 mg	1.0500 mg	25157.19	24.39	718	63	10870	Filled	150	
28	TS	10:00	997.0604 mg	1.0518 mg	25181.96	24.77	707	62	10929	Filled	172	
29	TC	9:20	998.0191 mg	.9587 mg	25204.73	22.77	707	—	10983	Filled	150	
30	CL	8:43	998.9944 mg	.9753 mg	25227.90	23.17	702	87.9	11037	Filled	182	
31												

Comments:

AW

MONTH: May
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 998.9944 mg
 Hour read: 25227.90

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	LEA	8:24	999.9978 mg	1,003.4	25251.53	23.63	708	83.9	11013	Filled	155	
2	LEA	8:15	1000.9006 mg	990.8 mg	25272.84	21.31	706	70.0	11144	Filled	160	OUT WEEDS
3	LEA	8:03	1001.9022 mg	1,001.6	25296.23	23.59	714	73.5	11199	Filled	150	
4	LEA	8:00	1002.8038 mg	1,002.3	25319.62	23.25	705	80.0	11245	Filled	175	
5	LEA	1:00	1004.8011 mg	1,115.0	25346.11	26.67	697	-	11317	Filled	162	
6	LEA	8:00	1005.7027 mg	1,005.3	25372.60	23.70	695	89.0	11422	Filled	200	
7	LEA	8:30	1005.5631 mg	989.2 mg	25390.64	23.70	695	89.0	11476	Filled	171	Filled 171
8	LEA	8:30	1006.4647 mg	940.9 mg	25436.22	22.65	692	91.0	11530	Filled	171	
9	LEA	8:12	1007.3663 mg	1,030.4 mg	25481.61	24.21	709	87.0	11637	Filled	174	
10	LEA	8:00	1008.2679 mg	1,011.4 mg	25531.19	26.4	695	96.0	11754	Filled	161	
11	LEA	8:00	1009.1695 mg	985.1 mg	25577.19	20.54	691	84.0	11861	Filled	180	
12	LEA	8:00	1010.0711 mg	972.3 mg	25623.19	24.74	686	87.0	11919	Filled	166	
13	LEA	8:15	1010.9727 mg	959.4 mg	25669.19	23.40	693	87.0	11974	Filled	163	
14	LEA	8:34	1011.8743 mg	946.5 mg	25715.19	23.04	693	85.0	12029	Filled	155	25227.90
15	LEA	8:22	1012.7759 mg	933.6 mg	25761.19	24.7	684	85.4	12087	Filled	160	
16	LEA	8:20	1013.6775 mg	920.7 mg	25807.19	23.86	688	82.0	12141	Filled	170	
17	LEA	8:47	1014.5791 mg	907.8 mg	25853.19	24.36	679	82.0	12198	Filled	167	25227.90
18	LEA	8:15	1015.4807 mg	894.9 mg	25899.19	23.32	681	82.0	12253	Filled	172	25227.90
19	LEA	8:02	1016.3823 mg	882.0 mg	25945.19	23.68	685	81.5	12309	Filled	170	25227.90
20	LEA	8:05	1017.2839 mg	869.1 mg	25991.19	23.31	685	81.5	12365	Filled	170	25227.90
21	LEA	8:45	1018.1855 mg	856.2 mg	26037.19	23.46	685	81.5	12420	Filled	190	Filled 190
22	LEA	8:45	1019.0871 mg	843.3 mg	26083.19	23.46	685	81.5	12479	Filled	181	25227.90
23	LEA	9:00	1019.9887 mg	830.4 mg	26129.19	23.38	695	81.5	12547	Filled	168	25227.90
24	LEA	9:15	1020.8903 mg	817.5 mg	26175.19	23.38	695	81.5	12615	Filled	171	25227.90
25	LEA	9:15	1021.7919 mg	804.6 mg	26221.19	23.48	686	81.5	12683	Filled	172	25227.90
26	LEA	8:30	1022.6935 mg	791.7 mg	26267.19	23.46	686	81.5	12751	Filled	190	Filled 190
27	LEA	8:10	1023.5951 mg	778.8 mg	26313.19	23.49	666	81.5	12819	Filled	161	25227.90

Comments: 8M Done 5/8/12. 05.55, LEA 5/25 WEED

MONTH: June
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Hour read: 25958.84

Flow Meter Read 1029.3768 MG

Last months Flow read:

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	NP	8:54	1030.3983 MG	1.0215 MG	25983.60	24.76	688	104.5	12817	Filled	165	
3	BS	11:40	1027.4935 MG	1.0184 MG	26034.39	24.76	486	-	12934	Filled	161	
4	LEA	8:25	1033.3418 MG	2.0468 MG	26055.06	26.67	684	95	12985	Filled	161	FAIL TO START CLEAN PAUL
5	LEA	9:05	1034.3309 MG	.9891 MG	26079.23	24.17	682	94	13042	Filled	189	
6	LEA	8:05	1035.0634 MG	7.525 MG	26078.84	9.31	549	94	13087	Filled	151	
7	LEA	9:05	1036.1187 MG	1.0353 MG	26123.57	25.03	689	94	13146	Filled	168	FLUSHED BLEND OFF CLEAN WASH
8	LEA	9:10	1037.0572 MG	7.125 MG	26130.6	24.84	678	94	13252	Filled	167	
9	JS	10:00	1038.0568 MG	.9588 MG	26170.97	23.36	674	93	13257	Filled	182	
10	LEA	10:15	1039.1101 MG	1.0543 MG	26177.25	26.28	681	93	13272	Filled	187	
11	LEA	8:20	1040.0099 MG	.8698 MG	26218.78	21.53	673	98	13369	Filled	178	
12	LEA	8:15	1040.9870 MG	7.9771 MG	26242.67	25.81	677	96	13385	Filled	170	
13	LEA	8:20	1041.9805 MG	.9995 MG	26266.79	24.12	681	95	13482	Filled	180	
14	LEA	8:20	1042.9740 MG	7.9865 MG	26290.65	26.36	682	96	13539	Filled	170	
15	CC	8:50	1044.0079 MG	1.0314 MG	26315.23	24.53	704	98.1	13577	Filled	165	
16	CC	8:40	1045.0023 MG	1.0140 MG	26339.74	24.56	685	93	13685	Filled	160	
17	TC	7:25	1045.9285 MG	.8959 MG	26361.91	22.12	674	-	13706	Filled	185	
18	LEA	8:10	1047.0026 MG	1.0735 MG	26387.20	25.69	692	98	13767	Filled	156	
19	LEA	8:25	1047.9803 MG	.9783 MG	26410.92	23.32	699	100	13822	Filled	169	
20	LEA	8:20	1048.9573 MG	1.0101 MG	26434.78	23.86	706	98	13878	Filled	156	
21	LEA	8:25	1049.9922 MG	1.0009 MG	26458.88	24.10	692	99	13935	Filled	156	
22	LEA	9:25	1051.0399 MG	0.957 MG	26488.90	25.02	695	98	13994	Filled	160	
23	JS	10:40	1052.0261 MG	.9912 MG	26507.95	24.05	687	04	14050	Filled	167	
24	LEA	8:40	1053.0183 MG	1.0102 MG	26532.64	24.69	700	94	14106	Filled	160	
25	LEA	7:50	1053.9490 MG	.9007 MG	26554.33	21.69	692	89	14159	Filled	157	
26	LEA	8:40	1054.9371 MG	0.9870 MG	26579.78	22.84	700	89	14216	Filled	160	
27	CC	8:06	1055.9154 MG	.9641 MG	26602.51	23.33	689	88	14272	Filled	155	
28	CC	8:20	1056.9155 MG	1.0011 MG	26626.36	24.28	697	85	14328	Filled	161	
29	CC	9:10	1057.9722 MG	1.0409 MG	26651.60	24.86	698	94.5	14383	Filled	156	
30	CC	8:20	1058.9722 MG	1.0059 MG	26676.81	23.15	688	94	14438	Filled	156	
31												

Comments: 6-5 Replaced 2 times (2012) 678 at electrical substation - see Panel 6-22 Edison outside Base 125° inside 99° to 104°

MONTH: July
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 1059.056 / Hour read: 26676.81

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	NA	12:00	1060.1340	1077.0	26762.7	23.5	704	95°	14952	Filled	155	
2	CC	9:10	1061.0239	839.9	26723.55	21.84	698	88°	14558	Filled	155	
3	CC	8:19	1061.9813	957.4	26746.69	23.51	690	87.8°	14611	Filled	152	
4	CPA	9:21	1063.6338 MG	1049.0	26771.53	24.89	698	96.8°	14671	Filled	150	GREASED MOTOR DEMAINED COMPRESSOR MAINTENANCE
5	LEA	8:43	1063.9987 MG	974.8 MG	26794.93	23.35	696	98.7°	14726	Filled	150	
6	LEA	11:20	1065.1278 MG	1129.1 MG	26821.57	26.64	706	98°	14789	Filled	149	
7	CC	12:43	1066.1619 MG	1.0341 MG	26846.85	25.25	682	107.9°	14848	Filled	162	
8	CC	10:07	1067.0391 MG	877.2 MG	26868.36	21.57	680	97.5°	14896	Filled	161	
9	LEA	8:58	1067.9657 MG	926.6 MG	26891.18	22.82	677	95°	14952	Filled	161	
10	LEA	8:05	1068.9151 MG	1448.4 MG	26914.33	23.15	684	98.7°	15006	Filled	162	
11	LEA	8:25	1069.9004 MG	985.3 MG	26938.67	24.34	675	98°	15063	Filled	161	
12	LEA	7:50	1070.7699 MG	869.5 MG	26960.09	21.42	677	98°	15115	Filled	166	
13	CC	8:08	1071.7017 MG	933.3 MG	26983.36	23.27	667	83.3°	15167	Filled	160	
14	CC	10:19	1072.7830 MG	1.0518 MG	27004.54	26.17	659	98.6°	15228	Filled	160	
15	CC	8:25	1073.6734 MG	890.4	27031.70	22.16	669	88°	15280	Filled	162	
16	LEA	9:35	1074.6862 MG	1012.8 MG	27056.84	25.14	671	90°	15338	Filled	188	
17	NB	8:51	1075.6257 MG	939.5	27080.10	23.26	673	103.4°	15393	Filled	184	
18	LEA	8:55	1076.5026 MG	876.9 MG	27101.98	21.88	668	98°	15444	Filled	168	Flushed B.O. at 10:55H
19	LEA	8:50	1077.4585 MG	955.9 MG	27125.86	23.88	667	97°	15499	Filled	163	
20	LEA	9:20	1078.4489 MG	989.1 MG	27150.33	24.47	671	99°	15556	Filled	180	
21	SS	11:05	1079.4604 MG	1016.5 MG	27175.63	25.34	669	103°	15615	Filled	190	
22	SS	11:00	1080.4517 MG	971.5 MG	27199.73	24.07	671	112°	15671	Filled	148	
23	CC	8:50	1081.3369 MG	905.2 MG	27221.87	22.15	681	97.4°	15723	Filled	161	
24	LEA	8:25	1082.2952 MG	988.3 MG	27245.46	23.59	677	91°	15778	Filled	166	
25	CC	8:10	1083.2535 MG	915.7 MG	27269.31	23.55	670	85°	15834	Filled	155	
26	LEA	8:50	1084.2589 MG	1062.4 MG	27293.87	24.56	680	93°	15892	Filled	162	
27	CC	8:51	1085.2344 MG	978.5	27317.91	24.07	678	88.1°	15948	Filled	161	
28	CC	11:50	1086.2528 MG	924.1	27340.75	22.79	674	90.7°	16004	Filled	157	
29	PL	17:00	1087.2197	1.0624	27366.76	24.83	680	101°	16062	Filled	200	
30	LEA	8:20	1088.0408 MG	821.6 MG	27387.14	20.88	672	98°	16110	Filled	188	
31	LEA	9:05	1088.9661 MG	925.3 MG	27410.86	23.22	664	95°	16164	Filled	161	

ments: 7-5 Flushed B.O. at wash 7:30

MONTH: August
 YEAR: 2012
 SITE: W-14

Pheasant Pinon Hills Community Service District
 Well Log

Last months Flow read: 1088.9161 mg
 Hour read: 27410.36

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	LEA	8:43	1089.9291 mg	9680 mg	27433.95	23.59	680	92°	16219	Filled	162	
2	LEA	8:56	1092.8566 mg	9665 mg	27452.72	23.77	678	92°	16225	Filled	154	
3	LEA	9:05	1091.9013 mg	10057 mg	27482.31	24.59	682	103°	16332	Filled	168	
4	LEA	9:08	1092.9043 mg	10032 mg	27506.39	24.08	699	173°	16389	Filled	165	
5	LEA	10:21	1093.8265 mg	0.9222 mg	27528.64	21.27	690	95°	16718	Filled	160	
6	LEA	9:10	1094.6517 mg	0.9852 mg	27551.89	22.73	678	106°	16775	Filled	185	FLUSH 15.0. OF W-14
7	LEA	8:10	1095.6736 mg	0.9219 mg	27574.38	22.99	668	102.5°	16549	Filled	156	
8	LEA	8:16	1096.6247 mg	1.0014 mg	27598.89	24.51	681	108°	16606	Filled	162	
9	LEA	8:25	1097.6334 mg	0.9587 mg	27622.64	23.75	673	109°	16662	Filled	185	
10	LEA	8:30	1098.6425 mg	0.9623 mg	27647.14	23.94	670	104.9°	16710	Filled	160	
11	LEA	11:12	1099.6451 mg	1.0574 mg	27673.52	24.83	679	154°	1679	Filled	161	
12	LEA	9:46	1100.5777 mg	0.8424 mg	27699.27	25.69	664	161°	16829	Filled	160	
13	LEA	8:40	1101.4152 mg	0.959 mg	27716.25	21.98	679	102°	16880	Filled	155	
14	LEA	8:55	1102.3800 mg	0.9648 mg	27739.97	23.72	678	104°	16836	Filled	160	
15	LEA	8:50	1103.3535 mg	0.9735 mg	27763.90	23.93	678	—	16992	Filled	162	
16	LEA	8:56	1104.3026 mg	0.9677 mg	27787.38	23.46	677	102°	17047	Filled	175	
17	LEA	9:10	1105.3151 mg	0.999 mg	27811.66	24.30	686	106°	17104	Filled	157	
18	LEA	8:30	1106.2784 mg	0.923 mg	27834.15	21.77	690	101°	17156	Filled	150	
19	LEA	1:53	1107.3167 mg	1.0497 mg	27859.91	26.48	691	107°	17218	Filled	180	
20	LEA	8:50	1108.2882 mg	0.9765 mg	27886.35	23.44	694	108°	17273	Filled	158	FLUSH 15.0. OF W-14
21	LEA	9:40	1109.2904 mg	0.9979 mg	27907.55	24.2	687	108°	17320	Filled	161	
22	LEA	9:25	1110.2797 mg	0.9813 mg	27931.32	23.97	688	94°	17386	Filled	158	
23	LEA	8:40	1111.2215 mg	0.9498 mg	27954.51	23.19	683	94°	17440	Filled	163	
24	LEA	9:00	1112.2225 mg	0.9600 mg	27976.60	23.15	690	109°	17497	Filled	151	
25	LEA	10:15	1113.2454 mg	1.0737 mg	28004.75	15.57	699	—	17558	Filled	157	
26	LEA	11:30	1114.2699 mg	1.0645 mg	28032.62	29.47	699	93°	17615	Filled	155	
27	LEA	8:57	1115.1910 mg	0.8311 mg	28049.45	21.27	690	99.9°	17665	Filled	155	
28	LEA	8:27	1116.1224 mg	0.9214 mg	28072.16	22.21	681	98°	17718	Filled	158	
29	LEA	8:35	1117.1168 mg	1.0044 mg	28096.28	24.12	694	107°	17774	Filled	157	
30	LEA	8:28	1118.0536 mg	0.9158 mg	28120.01	23.73	685	106°	17830	Filled	158	
31	LEA	9:35	1119.0161 mg	0.9235 mg	28142.25	22.24	682	94°	17883	Filled	165	

Comments:

MC TH: September
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 119.0271 MG
 Hour read: 28142.25

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	J5	11:50	1170.0271 MG	1.011 MG	28166.31	24.00	700	167°	17940	✓	182	
2	LEA	8:36	1120.3081 MG	880.6 MG	28178.2	21.57	682	166°	17520		165	
3	LEA	8:45	1121.7917 MG	833.5 MG	28209.58	21.76	677	161°	18041	Filled	155	
4	LEA	8:46	1122.8207 MG	702.0 MG	28234.35	24.77	692	163°	18099	Filled	160	
5	LEA	8:55	1123.7964 MG	975.7 MG	28258.08	23.73	685	166°	18155	Filled	154	
6	LEA	8:58	1124.8000 MG	1003.6 MG	28282.48	24.40	686	161°	18212	Filled	162	FISHED TO 57.60.54
7	LEA	8:55	1125.6307 MG	830.7 MG	28302.70	20.28	683	163°	18260	Filled	156	
8	LEA	8:57	1126.6288 MG	997.5 MG	28326.32	23.56	682	165°	18316	Filled	158	
9	LEA	8:54	1127.5417 MG	972.9 MG	28349.00	23.68	714	165°	18371	Filled	167	OPEN 577
10	LEA	8:45	1128.4576 MG	815.9 MG	28371.78	22.77	686	161°	18422	Filled	158	
11	LEA	10:15	1129.4671 MG	1.0095 MG	28396.31	24.52	686	166°	18480	Filled	150	
12	LEA	8:20	1130.3512 MG	884.1 MG	28417.38	21.46	687	161°	18530	Filled	155	
13	LEA	9:25	1131.3938 MG	1.0426 MG	28443.01	25.23	689	162°	18590	Filled	160	
14	LEA	8:25	1132.3455 MG	695.5 MG	28466.02	22.01	688	166°	18644	Filled	170	
15	J5	11:00	1133.3557 MG	1.0104 MG	28490.43	24.41	689	155°	18701	Filled	165	
16	LEA	9:16	1134.3272 MG	976.2 MG	28513.71	23.28	688	161°	18751	Filled	170	
17	LEA	9:20	1135.2392 MG	923.3 MG	28536.40	22.69	678	off	18809	Filled	148	
18	LEA	8:00	1136.0911 MG	859.9 MG	28557.10	20.70	686	162°	18858	Filled	161	
19	LEA	8:30	1137.0728 MG	1.0017 MG	28581.68	24.53	679	161°	18916	Filled	160	
20	LEA	8:40	1138.0181 MG	985.5 MG	28605.82	24.14	680	165°	18972	Filled	170	
21	LEA	8:55	1139.0601 MG	932.2 MG	28630.41	24.19	677	169°	19029	Filled	167	
22	LEA	11:00	1140.1037 MG	1007.2 MG	28655.15	25.18	680	165°	19088	Filled	168	
23	LEA	10:20	1141.0403 MG	937.0 MG	28679.09	22.9	681	162°	19141	Filled	167	
24	LEA	8:10	1141.8916 MG	859.3 MG	28699.29	21.8	676	167°	19191	Filled	155	
25	LEA	1:15	1143.1073 MG	1.2077 MG	28718.36	29.57	697	165°	19240	Filled	165	
26	LEA	9:00	1143.8889 MG	78.6 MG	28747.09	19.05	683	165°	19295	Filled	165	
27	LEA	8:40	1144.8678 MG	1.9737 MG	28771.14	23.73	687	165°	19361	Filled	156	
28	LEA	9:25	1145.8184 MG	980.6 MG	28794.82	23.68	680	160°	19416	Filled	160	50 gpm at 562
29	LEA	12:25	1146.9549 MG	1.1065 MG	28821.25	26.43	698	166°	19479	Filled	160	
30	LEA	9:00	1147.7930 MG	838.8 MG	28847.79	20.39	688	161°	19527	Filled	169	
31												

Comments:

MONTH: October
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 1147.7936 MG Hour read: 28841.73

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	LEA	9:20	1148.6661 MG	8725 MG	28863.06	21.27	684	80°	19577	Filled	164	
2	LEA	9:40	1151.6589 MG	9128 MG	28866.65	23.59	687	80°	19632	Filled	166	
3	LEA	10:25	1150.6034 MG	9645 MG	28909.74	23.09	696	80°	19687	Filled	156	
4	LEA	8:55	1151.5806 MG	1114 MG	28920.11	23.45	781	80°	19740	Filled	155	
5	LL	8:33	1152.4820 MG	9253 MG	28954.46	20.27	699	80°	19793	Filled	155	
6	LL	8:10	1153.4336 MG	9879 MG	28977.31	22.85	688	80°	19847	Filled	162	
7	LL	8:55	1154.4580 MG	10217 MG	29001.53	24.22	703	77.5	19904	Filled	157	
8	LEA	8:55	1155.4838 MG	957 MG	29024.67	23.74	690	80°	19956	Filled	155	
9	TC	7:50	1155.9799 MG	5637 MG	29058.43	13.76	652	80°	19991	Filled	155	
10	LEA	8:35	1156.9838 MG	1004 MG	29068.53	24.10	695	80°	20048	Filled	170	3:00 PM
11	LEA	8:30	1157.9706 MG	9868 MG	29086.39	23.86	689	80°	20104	Filled	154	18000 - 58 000 11
12	LEA	9:10	1158.9847 MG	1021 MG	29110.38	23.99	709	80°	20161	Filled	148	18000 - 58 000 11
13	TS	9:45	1159.9447 MG	957 MG	29133.29	22.91	693	80°	20216	Filled	155	
14	TS	10:00	1160.8755 MG	930 MG	29155.79	22.50	689	80°	20269	Filled	160	
15	LEA	8:35	1161.8162 MG	9407 MG	29178.46	22.67	693	80°	20322	Filled	175	
16	LEA	8:15	1162.7358 MG	920 MG	29200.69	20.23	687	80°	20375	Filled	156	
17	LEA	8:40	1163.7574 MG	10316 MG	29225.20	24.51	701	80°	20433	Filled	172	
18	LEA	10:15	1164.7810 MG	1061 MG	29250.73	25.54	697	80°	20493	Filled	165	
19	LL	9:30	1165.7966 MG	9696 MG	29274.04	23.26	695	82.7	20549	Filled	165	
20	LEA	9:55	1166.8342 MG	9588 MG	29297.14	23.17	697	84	20602	Filled	156	
21	LEA	10:27	1167.8187 MG	10635 MG	29322.02	24.88	712	74°	20661	Filled	175	
22	LEA	8:40	1168.8225 MG	8738 MG	29347.88	20.86	698	75	20711	Filled	165	
23	NB	7:50	1169.6868 MG	9943 MG	29366.02	23.14	716	80°	20766	Filled	172	
24	LEA	8:35	1170.6454 MG	9586 MG	29388.02	22.60	707	80°	20820	Filled	159	
25	LEA	10:25	1171.5815 MG	9361 MG	29410.74	22.19	705	79°	20872	Filled	200	
26	LEA	8:50	1172.4330 MG	8435 MG	29432.85	20.17	697	79	20920	Filled	172	
27	TS	9:45	1173.2310 MG	8080 MG	29450.99	19.63	686	80°	20967	Filled	180	
28	LEA	8:25	1174.1453 MG	9123 MG	29472.21	21.81	694	80°	21019	Filled	165	
29	LEA	9:00	1174.9308 MG	7825 MG	29491.65	19.36	678	80°	21064	Filled	195	
30	LEA	8:45	1175.8125 MG	5821 MG	29506.49	13.84	662	80°	21098	Filled	165	
31	LEA	8:50	1176.3602 MG	8467 MG	29525.85	20.36	693	80°	21146	Filled	173	

Comments: 10/19 Pump Check Flow Test, 10/15 Blow out 62 pump motor, 10/20/12

MONTH: November
 YEAR: 2012
 SITE: W-14

Phelan Pinon Hills Community Service District
 Well Log

Last months Flow read: 1176.3602 MG Hour read: 29525.85

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	LEA	8:15	1177.1877 MG	8275 MG	29546.21	20.36	677	89°	21194	Filled	172	
2	CC	10:03	1178.0450 MG	8575 MG	29566.90	20.59	671	68°	21243	Filled	175	
3	BML	10:25	1178.3435 MG	7985 MG	29586.11	19.21	692	ON	21287	Filled	175	
4	CC	9:08	1179.6696 MG	8326 MG	29606.21	20.1	685	82°	21330	Filled	160	
5	LEA	8:35	1180.5891 MG	9195 MG	29627.99	21.78	704	93°	21388	Filled	160	
6	CC	9:14	1181.4271 MG	10355 MG	29652.54	24.55	703	OFF	21446	Filled	148	well off
7	LEA	8:00	1182.3047 MG	6806 MG	29669.01	16.47	689	OFF	21485	Filled	150	well off
8	CC	9:25	1183.2354 MG	9507 MG	29691.68	22.07	703	90°	21538	Filled	160	
9	LEA	9:50	1184.1702 MG	9848 MG	29713.26	22.18	702	88°	21590	Filled	152	
10	NB	9:00	1185.068 MG	8566 MG	29733.61	20.35	702	88°	21639	Filled	165	
11	TC	8:52	1185.9134 MG	8866 MG	29754.57	20.96	704	—	21689	Filled	153	
12	CC	9:30	1186.8408 MG	9274 MG	29776.48	21.91	705	—	21741	Filled	152	
13	LEA	9:20	1187.7847 MG	9439 MG	29798.93	22.45	701	88°	21794	Filled	188	
14	LEA	9:05	1188.6928 MG	9682 MG	29820.32	21.39	708	71°	21845	Filled	155	
15	CC	9:25	1189.6400 MG	9472 MG	29842.71	22.39	705	86°	21898	Filled	152	
16	CC	8:39	1190.6275 MG	9875 MG	29865.88	23.17	710	ON	21954	Filled	165	
17	RS	11:15	1191.6986 MG	10711 MG	29890.33	24.95	715	ON	22013	Filled	190	
18	CC	10:20	1192.6856 MG	9954 MG	29913.26	22.73	713	86°	22067	Filled	150	
19	CC	8:50	1193.5276 MG	8626 MG	29933.73	20.47	702	82.4	22115	Filled	156	
20	CC	8:29	1194.5170 MG	9896 MG	29956.89	23.14	713	ON	22171	Filled	150	
21	LEA	9:05	1195.4847 MG	9675 MG	29979.48	22.61	713	77°	22225	Filled	160	
22	CC	9:15	1196.4705 MG	10126 MG	30003.34	23.86	707	ON	22281	Filled	150	
23	RS	12:25	1197.6825 MG	1182 MG	30026.81	27.47	719	ON	22347	Filled	140	
24	CC	10:18	1198.6704 MG	9416 MG	30052.84	22.03	717	ON	22407	Filled	160	
25	RS	10:50	1199.6472 MG	10431 MG	30077.23	24.39	713	ON	22457	Filled	156	
26	LEA	8:35	1200.5882 MG	9210 MG	30098.84	21.61	710	88°	22508	Filled	163	
27	CC	8:23	1201.6044 MG	1026 MG	30122.80	23.94	710	92°	22566	Filled	150	
28	LEA	9:05	1202.5888 MG	9799 MG	30148.74	22.54	710	88°	22620	Filled	146	
29	CC	8:43	1203.4954 MG	9991 MG	30167.17	21.43	707	92.4	22671	Filled	150	
30	CC	9:21	1204.4720 MG	9766 MG	30188.99	20.80	713	93.6	22726	Filled	150	
31												

Comments:

Phelan Pinon Hills Community Service District
Well Log

MONTH: December
YEAR: 2012
SITE: W-14

Last months Flow read: 1204.4712 MG
Hour read: 30189.99

Date	Initial	Time	Flow Meter Read	24 Hr Total Flow	Hour Meter	24 hr Total Ran	gpm	Temp	Edison	Oil	PSI	Comments
1	CC	7:18	1205.4258 MG	.9536 MG	30211.93	21.74	724	0V	22778	Filled	155	
2	CC	9:38	1206.5164 MG	1.0906 MG	30237.11	25.18	722	0V	22938	Filled	150	
3	LEA	9:03	1207.4954 MG	.9790 MG	30259.96	22.85	714	0V	22892	Filled	150	
4	LEA	11:30	1208.6384 MG	1.1350 MG	30286.35	26.4	717	0V	22955	Filled	189	
5	LEA	8:20	1209.4457 MG	.8153 MG	30205.51	19.16	709	0V	23001	Filled	155	
6	LEA	8:25	1210.4141 MG	.9684 MG	30328.24	22.73	710	0V	23055	Filled	150	pins recompleted replaced 8.28 at 10:18
7	LEA	9:30	1211.4131 MG	.9990 MG	30350.84	22.60	737	0V	23109	Filled	154	
8	NB	9:20	1212.4355 MG	1.0224 MG	30374.71	23.87	714	80°	23166	Filled	155	
9	NB	9:25	1213.3641 MG	.9286 MG	30396.33	21.62	716	80°	23218	Filled	160	
10	LEA	9:15	1214.2761 MG	.9120 MG	30417.86	21.53	706	0V	23269	Filled	154	
11	CC	8:12	1215.2676 MG	.9915 MG	30440.82	22.96	720	0V	23323	Filled	160	
12	CC	8:46	1216.2144 MG	.9448 MG	30463.02	22.2	709	0V	23376	Filled	167	
13	NB	10:00	1217.3012 MG	1.0888 MG	30488.91	25.39	714	0V	23437	Filled	200	
14	CC	9:06	1218.1947 MG	.8935 MG	30509.10	20.69	720	0V	23486	Filled	165	
15	CC	12:00	1219.7006 MG	1.0051 MG	30532.47	23.27	717	0V	23542	Filled	166	
16	CC	9:40	1219.9537 MG	.7525 MG	30549.92	17.45	718	57°	23583	Filled	160	
17	LEA	9:25	1220.9810 MG	1.0279 MG	30573.77	23.85	718	0V	23640	Filled	155	
18	LEA	8:20	1221.0278 MG	.0468 MG	30574.84	1.07	729	off	23643	Filled	146	
19	LEA	9:05	1221.0506 MG	.0228 MG	30575.46	.62	613	off	23645	Filled	153	JUST STARTED WELL
20	LEA	8:56	1221.9719 MG	.9213 MG	30596.76	21.30	721	off	23696	Filled	147	
21	LEA	9:15	1222.8214 MG	.8495 MG	30616.69	19.93	710	off	23744	Filled	150	WELL FIRELUP
22	CC	9:37	1223.6690 MG	.8476 MG	30636.49	19.8	713	0V	23791	Filled	147	
23	J3	10:00	1224.4933 MG	.8243 MG	30655.60	19.11	718	89°	23837	Filled	160	
24	CC	6:54	1225.1632 MG	.6691 MG	30671.14	15.54	718	0V	23874	Filled	155	
25	CC	7:14	1225.9871 MG	.8239 MG	30690.19	19.05	710	0V	23919	Filled	145	
26	LEA	8:30	1226.7284 MG	.7413 MG	30707.39	17.20	718	0V	23961	Filled	160	WELL NOT FIRELUP
27	LEA	8:30	1227.5204 MG	.7920 MG	30725.73	18.34	720	off	24005	Filled	159	
28	CC	9:16	1228.2705 MG	.7501 MG	30743.76	17.43	718	0V	24047	Filled	157	
29	NMG	9:45	1229.0458 MG	.7753 MG	30761.24	18.08	715	0V	24090	Filled	159	
30	CC	9:10	1229.6797 MG	.6339 MG	30776.00	14.76	716	0V	24135	Filled	146	
31	LEA	9:00	1230.3889 MG	.7092 MG	30792.49	16.49	717	0V	24165	Filled	155	

EXHIBIT B

EXHIBIT B



Since 1958

PUMP CHECK

Pumping Systems Analysts
Hydraulic Test Report

(951) 684-9801 • Lic. 799498 • Fax (951) 684-2988

CERTIFICATE OF ACCURACY

Customer: Phelan Pinon Hills CSD
Location: 13150 263rd Street
Identification: Well #14

Test Date: 10/09/2012

Meter Size: 12" Make: Siemens Mag Flo
Meter No: 7ME652948102N297 Register: MG x .0001

General Data

Meter read before test: 1156.0646 Meter read after test: 1156.0778

Pipe ID: 12 (Inch) Pipe area: 113.1 (sq.in.) Pressure: 151.0 (Lbs/sq.in.)

Test Data

Test Before Inspection

Test Equipment			Totalizer		Volume			Metered GPM	Percent of Flow
Test No.	Mano Read	Actual GPM	Second Read	First Read	Diff.	Convert to Gallons	Time in Seconds		
1	6.40	724	1156.0708	1156.0680	28	2,800	232.05	724	100.0%
2	6.35	718	1156.0743	1156.0711	32	3,200	267.67	717	99.9%
3	6.35	718	1156.0775	1156.0745	30	3,000	251.48	716	99.7%
Avg.		720.1					Avg.	719.0	99.9%


Remarks

34.29.290n117.39.656w
PC 3235/SCE 32127

Approved _____

P.O. Box 5646, Riverside, California 92517

"Pump Testing. The Service That Pays For Itself"



PUMP CHECK

Pumping Systems Analysts
Hydraulic Test Report

(951) 684-9801 • Lic. 799498 • Fax (951) 684-2988

CERTIFICATE OF ACCURACY

Customer: Phelan Pinon Hills CSD
 Location: 13150 263rd Street
 Identification: Well #14

Test Date: 09/27/2010

Meter Size: 12" Make: Siemens
 Meter No: 7ME652948102N297 Register: Gal x 1 million

General Data

Meter read before test: 462.084 Meter read after test: 462.1106

Pipe ID: 12 (Inch) Pipe area: 113.1 (sq.in.) Pressure: 145.0 (Lbs/sq.in.)

Test Data

Test Before Inspection

Test No.	Mano Read	Actual GPM	Totalizer			Volume		Metered GPM	Percent of Flow
			Second Read	First Read	Diff.	Convert to Gallons	Time in Seconds		
1	6.95	786	462.0936	462.09	0.004	4,000	306.66	783	99.6%
2	6.90	780	462.098	462.094	0.0041	4,100	316.22	778	99.7%
3	6.95	786	462.1023	462.098	0.004	4,000	305.93	784	99.8%
Avg.		784.2				Avg.		781.7	99.7%

Remarks

34.29.290n117.39.656w
 PC 3235/SCE 32127

Approved _____

P.O. Box 5646, Riverside, California 92517