

**Bolthouse Properties, LLC  
Use of Water  
Crops by Ranch  
Year 2001**

| <b>Ranch</b>            | <b>Fields</b> | <b>Misc</b> | <b>Carrots</b> | <b>Fallow</b> | <b>Onions</b> | <b>Potatoes</b> | <b>Wheat</b> |
|-------------------------|---------------|-------------|----------------|---------------|---------------|-----------------|--------------|
| Bushnell                |               |             | 99             | 72            | -             | -               | 141          |
| Minn                    |               |             | 667            | 472           | 346           | 73              | 142          |
| Pardee                  |               |             | 826            | 494           | 310           | -               | 83           |
| Retlaw                  |               |             | 596            | 436           | 162           | 492             | -            |
| S&P Rowen               |               |             | 541            | 1,470         | -             | -               | -            |
| <b>Total Crop Acres</b> |               |             | <b>2,729</b>   | <b>2,944</b>  | <b>818</b>    | <b>565</b>      | <b>366</b>   |

|                                                          |
|----------------------------------------------------------|
| <b>Total Groundwater<br/>Production in<br/>Acre Feet</b> |
| 13,771 **                                                |

- Depending upon crop rotation, planting schedule and climatic conditions, water is applied to fallow ground as a normal and necessary farming practice.
- Crop rotation patterns may cross over calendar year ends.
- As part of normal and necessary farming practice, more than one crop can be grown during any 12 month calendar period.

\*\* Meter readings effected by timing of conversion of wells to production

**Bolthouse Properties, LLC**  
**Use of Water**  
**Crops by Ranch - Acres**  
**Year 2002**

| <b>Ranch</b>            | <b>Fields</b> | <b>Misc</b> | <b>Carrots</b> | <b>Fallow</b> | <b>Onions</b> | <b>Potatoes</b> | <b>Silage</b> |
|-------------------------|---------------|-------------|----------------|---------------|---------------|-----------------|---------------|
| Bushnell                |               |             | 179            | 34            | -             | -               | 99            |
| Minn                    |               |             | 1,142          | 41            | 517           | -               | -             |
| Pardee                  |               |             | 1,042          | 54            | 556           | 61              | -             |
| Retlaw                  |               |             | 726            | 960           | -             | -               | -             |
| S&P Rowen               |               |             | 543            | 1,468         | -             | -               | -             |
| <b>Total Crop Acres</b> |               |             | <b>3,632</b>   | <b>2,557</b>  | <b>1,073</b>  | <b>61</b>       | <b>99</b>     |

|                                                 |
|-------------------------------------------------|
| Total Groundwater<br>Production in<br>Acre Feet |
| 20,349                                          |

- Depending upon crop rotation, planting schedule and climatic conditions, water is applied to fallow ground as a normal and necessary farming practice.
- Crop rotation patterns may cross over calendar year ends.
- As part of normal and necessary farming practice, more than one crop can be grown during any 12 month calendar period.

**Bolthouse Properties, LLC**  
**Use of Water**  
**Crops by Ranch**  
**Year 2003**

| <b>Ranch</b>            | <b>Carrots</b> | <b>Fallow</b> | <b>Onions</b> | <b>Potatoes</b> | <b>Sesbania</b> | <b>Wheat</b> |
|-------------------------|----------------|---------------|---------------|-----------------|-----------------|--------------|
| Bushnell                | 137            | 175           | -             | -               | -               | -            |
| Minn                    | 848            | -             | 529           | 94              | 137             | 94           |
| Pardee                  | 621            | 78            | 776           | 193             | 11              | 36           |
| Retlaw                  | 561            | 251           | 163           | -               | 282             | 428          |
| S&P Rowen               | 678            | 630           | -             | -               | 318             | 386          |
| <b>Total Crop Acres</b> | <b>2,844</b>   | <b>1,133</b>  | <b>1,468</b>  | <b>286</b>      | <b>748</b>      | <b>943</b>   |

|                                                          |
|----------------------------------------------------------|
| <b>Total Groundwater<br/>Production in<br/>Acre Feet</b> |
| <b>24,727</b>                                            |

- Depending upon crop rotation, planting schedule and climatic conditions, water is applied to fallow ground as a normal and necessary farming practice.
- Crop rotation patterns may cross over calendar year ends.
- As part of normal and necessary farming practice, more than one crop can be grown during any 12 month calendar period.

**Bolthouse Properties, LLC**  
**Use of Water**  
**Crops by Ranch**  
**Year 2004**

| <b>Ranch</b>            | <b>Carrots</b> | <b>Fallow</b> | <b>Onions</b> | <b>Potatoes</b> |
|-------------------------|----------------|---------------|---------------|-----------------|
| Bushnell                | 71             | 154           | 88            | -               |
| Minn                    | 330            | 155           | 659           | 557             |
| Pardee                  | 622            | 636           | 243           | 212             |
| Retlaw                  | 486            | 1,028         | 83            | 89              |
| S&P Rowen               | 701            | 1,310         | -             | -               |
| <b>Total Crop Acres</b> | <b>2,210</b>   | <b>3,282</b>  | <b>1,072</b>  | <b>858</b>      |

|                                                 |
|-------------------------------------------------|
| Total Groundwater<br>Production in<br>Acre Feet |
| 25,293                                          |

- Depending upon crop rotation, planting schedule and climatic conditions, water is applied to fallow ground as a normal and necessary farming practice.
- Crop rotation patterns may cross over calendar year ends.
- As part of normal and necessary farming practice, more than one crop can be grown during any 12 month calendar period.

**Bolthouse Properties, LLC**  
**Use of Water**  
**Crops by Ranch**  
**Year 2005**

| <b>Ranch</b>            | <b>Carrots</b> | <b>Fallow</b> | <b>Onions</b> |
|-------------------------|----------------|---------------|---------------|
| Bushnell                | 104            | -             | 208           |
| Minn                    | 582            | 695           | 423           |
| Pardee                  | 383            | 1,112         | 218           |
| Retlaw                  | 95             | 1,448         | 143           |
| S&P Rowen               | 708            | 1,303         | -             |
| <b>Total Crop Acres</b> | <b>1,872</b>   | <b>4,558</b>  | <b>992</b>    |

|                                                          |
|----------------------------------------------------------|
| <b>Total Groundwater<br/>Production in<br/>Acre Feet</b> |
| <b>18,966</b>                                            |

- Depending upon crop rotation, planting schedule and climatic conditions, water is applied to fallow ground as a normal and necessary farming practice.
- Crop rotation patterns may cross over calendar year ends.
- As part of normal and necessary farming practice, more than one crop can be grown during any 12 month calendar period.

**Bolthouse Properties, LLC**  
**Use of Water**  
**Crops by Ranch**  
**Year 2006**

| <b>Ranch</b>            | <b>Carrots</b> | <b>Fallow</b> | <b>Onions</b> | <b>Potatoes</b> |
|-------------------------|----------------|---------------|---------------|-----------------|
| Bushnell                | -              | 212           | -             | -               |
| Minn                    | 421            | 737           | 214           | 124             |
| Pardee                  | 319            | 669           | 244           | 243             |
| Retlaw                  | 419            | 628           | 154           | -               |
| S&P Rowen               | 558            | 1,066         | -             | -               |
| <b>Total Crop Acres</b> | <b>1,717</b>   | <b>3,312</b>  | <b>612</b>    | <b>367</b>      |

|                                                          |
|----------------------------------------------------------|
| <b>Total Groundwater<br/>Production in<br/>Acre Feet</b> |
| 17,237                                                   |

- Depending upon crop rotation, planting schedule and climatic conditions, water is applied to fallow ground as a normal and necessary farming practice.
- Crop rotation patterns may cross over calendar year ends.
- As part of normal and necessary farming practice, more than one crop can be grown during any 12 month calendar period.

**Bolthouse Properties, LLC**  
**Use of Water**  
**Crops by Ranch**  
**Year 2007**

| <b>Ranch</b>            | <b>Carrots</b> | <b>Fallow</b> | <b>Onions</b> | <b>Potatoes</b> | <b>Sod</b> |
|-------------------------|----------------|---------------|---------------|-----------------|------------|
| Bushnell                | 91             | 121           | -             | -               | -          |
| Minn                    | 365            | 238           | 534           | 359             | -          |
| Pardee                  | 502            | 455           | 199           | 319             | -          |
| Retlaw                  | 384            | 77            | 259           | -               | 480        |
| S&P Rowen               | 558            | 1,066         | -             | -               | -          |
| <b>Total Crop Acres</b> | <b>1,900</b>   | <b>1,957</b>  | <b>992</b>    | <b>678</b>      | <b>480</b> |

|                                                          |
|----------------------------------------------------------|
| <b>Total Groundwater<br/>Production in<br/>Acre Feet</b> |
| <b>26,812</b>                                            |

- Depending upon crop rotation, planting schedule and climatic conditions, water is applied to fallow ground as a normal and necessary farming practice.
- Crop rotation patterns may cross over calendar year ends.
- As part of normal and necessary farming practice, more than one crop can be grown during any 12 month calendar period.

**Bolthouse Properties, LLC**  
**Use of Water**  
**Crops by Ranch**  
**Year 2008**

| Ranch                   | Carrots      | Fallow       | Onions       | Potatoes   | Mustard   | Sod        |
|-------------------------|--------------|--------------|--------------|------------|-----------|------------|
| Bushnell                | 85           | -            | 70           | 57         | -         | -          |
| Minn                    | 624          | 86           | 725          | 61         | -         | -          |
| Pardee                  | 833          | 60           | 356          | 226        | -         | -          |
| Retlaw                  | 459          | -            | 357          | -          | 46        | 338        |
| S&P Rowen               | 508          | 1,116        | -            | -          | -         | -          |
| <b>Total Crop Acres</b> | <b>2,509</b> | <b>1,262</b> | <b>1,508</b> | <b>344</b> | <b>46</b> | <b>338</b> |

|                                                 |
|-------------------------------------------------|
| Total Groundwater<br>Production in<br>Acre Feet |
| 33,162                                          |

- Depending upon crop rotation, planting schedule and climatic conditions, water is applied to fallow ground as a normal and necessary farming practice.
- Crop rotation patterns may cross over calendar year ends.
- As part of normal and necessary farming practice, more than one crop can be grown during any 12 month calendar period.



**Bolthouse Properties, LLC**  
**Use of Water**  
**Crops by Ranch**  
**Year 2009**

| <b>Ranch</b>            | <b>Carrots</b> | <b>Fallow</b> | <b>Onions</b> | <b>Potatoes</b> | <b>Barley</b> | <b>Wheat</b> |
|-------------------------|----------------|---------------|---------------|-----------------|---------------|--------------|
| Bushnell                | 36             | 57            | 85            | -               | -             | 34           |
| Minn                    | 386            | 581           | 241           | -               | 124           | 92           |
| Pardee                  | 261            | 461           | 310           | -               | -             | 319          |
| Retlaw                  | 447            | 123           | 182           | 185             | -             | 263          |
| S&P Rowen               | 529            | 608           | 124           | -               | -             | 363          |
| <b>Total Crop Acres</b> | <b>1,659</b>   | <b>1,830</b>  | <b>942</b>    | <b>185</b>      | <b>124</b>    | <b>1,071</b> |

|                                                          |
|----------------------------------------------------------|
| <b>Total Groundwater<br/>Production in<br/>Acre Feet</b> |
| <b>23,759</b>                                            |

- Depending upon crop rotation, planting schedule and climatic conditions, water is applied to fallow ground as a normal and necessary farming practice.
- Crop rotation patterns may cross over calendar year ends.
- As part of normal and necessary farming practice, more than one crop can be grown during any 12 month calendar period.

**Bolthouse Properties, LLC**  
**Use of Water**  
**Crops by Ranch**  
**Year 2010**

| <b>Ranch</b>            | <b>Carrots</b> | <b>Fallow</b> | <b>Onions</b> | <b>Potatoes</b> | <b>Barley</b> |
|-------------------------|----------------|---------------|---------------|-----------------|---------------|
| Bushnell                | 91             | -             | 85            | -               | 36            |
| Minn                    | 552            | 86            | 107           | 122             | 467           |
| Pardee                  | 433            | -             | 186           | 126             | 528           |
| Retlaw                  | 400            | -             | -             | -               | 800           |
| S&P Rowen               | 523            | -             | -             | -               | 1,101         |
| <b>Total Crop Acres</b> | <b>1,999</b>   | <b>86</b>     | <b>378</b>    | <b>248</b>      | <b>2,932</b>  |

|                                                          |
|----------------------------------------------------------|
| <b>Total Groundwater<br/>Production in<br/>Acre Feet</b> |
| <b>18,740</b>                                            |

- Depending upon crop rotation, planting schedule and climatic conditions, water is applied to fallow ground as a normal and necessary farming practice.
- Crop rotation patterns may cross over calendar year ends.
- As part of normal and necessary farming practice, more than one crop can be grown during any 12 month calendar period.

**Bolthouse Properties, LLC**  
**Use of Water**  
**Crops by Ranch**  
**Year 2011**

| <b>Ranch</b>            | <b>Carrots</b> | <b>Fallow</b> | <b>Onions</b> | <b>Barley</b> | <b>Sudan</b> |
|-------------------------|----------------|---------------|---------------|---------------|--------------|
| Bushnell                | -              | -             | -             | 212           | -            |
| Minn                    | 305            | 31            | 55            | 882           | 61           |
| Pardee                  | 365            | -             | 186           | 722           | -            |
| Retlaw                  | 353            | 186           | -             | 661           | -            |
| S&P Rowen               | 572            | -             | -             | 1,052         | -            |
| <b>Total Crop Acres</b> | <b>1,595</b>   | <b>217</b>    | <b>241</b>    | <b>3,529</b>  | <b>61</b>    |

|                                                 |
|-------------------------------------------------|
| Total Groundwater<br>Production in<br>Acre Feet |
| 11,044 *                                        |

- Depending upon crop rotation, planting schedule and climatic conditions, water is applied to fallow ground as a normal and necessary farming practice.
- Crop rotation patterns may cross over calendar year ends.
- As part of normal and necessary farming practice, more than one crop can be grown during any 12 month calendar period.

\* Subject to further verification - Certain wells were converted from diesel to electric power