

EXHIBIT D

RESOLUTION NO. R-25-47

**APPROVING APPLICATIONS FOR NEW PRODUCTION WITH REQUIREMENTS
TO INTERVENE PURSUANT TO THE TERMS OF THE JUDGMENT;
ATTACHED EXHIBIT A**

WHEREAS, the Antelope Valley Watermaster, formed by the Antelope Valley Groundwater Cases Final Judgment (“Judgment”), Santa Clara Case No. 1-05-CV-049053 signed December 23, 2015, is to administer the Judgment; and

WHEREAS, a process for considering and approving applications for new production is set forth in the Judgment and in the Rules and Regulations unanimously adopted by the Board on June 24, 2020 pursuant to Resolution No. R-20-12; and

WHEREAS, the Watermaster Engineer is authorized under the Judgment to recommend to the Watermaster Board that applications for new production be denied or approved and that approval may be pursuant to certain conditions; and

WHEREAS, pursuant to the terms of the Judgment, the Watermaster Engineer is required to make certain findings and to consider, investigate and recommend to the Watermaster Board denial or approval, or approval with certain conditions, this application consistent with the terms of the Judgment; and

WHEREAS, the Watermaster Engineer has reviewed all the applications listed on attached Exhibit A and has made the appropriate findings, including that the applicant has a right to produce groundwater under the Judgment or otherwise agrees to purchase replacement water, that all conditions for new production are met under the Judgment and the Rules and Regulations, and that no Material Injury will result from the proposed production; and

WHEREAS, Magnolia, LP is not a Party to the Judgment, and as such, Magnolia, LP may not receive New Production Rights until they successfully intervene as Parties to the Judgment; and

WHEREAS, in consultation with the Watermaster General Counsel, the Watermaster Engineer has reviewed the Application and, if the Board chooses to approve the Applications, recommends that approval be subject to the following conditions, as noted on Exhibit A:

- (1) Magnolia, LP must file a motion to intervene as Party to the Judgment no later than thirty (30) days after the date of this Resolution;
- (2) Magnolia, LP must satisfy all Replacement Water Obligations
- (3) The proposed New Production Application shall be of no force or effect until Magnolia, LP has successfully intervened as a Party to the Judgment .

- (4) nothing in this Resolution shall be construed as precedent or authority for any non-Party to receive a New Production Right without first intervening in the Judgment.

WHEREAS, the Watermaster Board has considered the findings and recommendations of the Watermaster Engineer set forth above and attached in Exhibit A and is prepared to approve the Applications pursuant to such conditions recommended by the Watermaster Engineer.

NOW, THEREFORE, BE IT RESOLVED, that the Watermaster Board unanimously approves the applications for new production in attached Exhibit A to this Resolution as being consistent with the terms of the Judgment and applicable Rules and Regulations, subject to the conditions set forth in the Recitals above and attached in Exhibit A.

I certify that this is a true copy of Resolution No. R-25-47 as passed by the Board of Directors of the Antelope Valley Watermaster at its meeting held September 24, 2025, in Palmdale, California.

Date: 9/24/25

ATTEST: Patricia Rose
Patricia Rose – Secretary

Robert Parris
Robert Parris, Chairman

**EXHIBIT A Attachment to
Resolution No. R-25.47
Approving New Production Application
Pursuant to the Terms of the Judgment**

APN#	Amount Requested	Use of Well	Subarea	Applicant/Property Owner
3023-006-067	93 AF Over a 2- years	Commercial	Central Antelope	Magnolia, LP